

ORIGINAL RESEARCH ARTICLE

Thermal imaging for cancer detection

Ashwani Kumar Aggarwal

Department of Electrical and Instrumentation Engineering, Sant Longowal Institute of Engineering and Technology,
Longowal 148106, India; ashwani.ist@sliet.ac.in

ABSTRACT

Problem: There is a need for effective and non-invasive techniques for early cancer detection to improve treatment outcomes and patient care. **Motivation:** This research explores the potential of thermal imaging as a non-invasive technique for cancer detection. **Aim:** The aim of this study is to investigate thermal imaging as a valuable tool for early cancer detection and its potential to enhance treatment outcomes and patient care. **Methodology:** The paper discusses the principles of thermal imaging, its advantages and limitations, and its application to various types of cancer. It also presents a review of recent studies in the field. **Main results:** The findings suggest that thermal imaging holds promise as a valuable tool for early cancer detection. **Further impact of those results:** The potential application of thermal imaging in cancer detection could lead to improved treatment outcomes and enhance overall patient care. The article also highlights the challenges and future prospects of thermal imaging in this domain.

Keywords: cancer detection; early detection; infrared thermography; non-invasive screening; thermal imaging; thermographic imaging

ARTICLE INFO

Received: 23 August 2023

Accepted: 26 September 2023

Available online: 9 November 2023

COPYRIGHT

Copyright © 2023 by author(s).

Imaging and Radiation Research is published by EnPress Publisher LLC. This work is licensed under the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0).

<https://creativecommons.org/licenses/by-nc/4.0/>

1. Introduction

Early detection is crucial for successful treatment and improved patient outcomes. Traditional diagnostic methods, such as mammography and biopsy, have been widely used for cancer detection, but they often have limitations in terms of accuracy, invasiveness, and patient discomfort. In recent years, thermal imaging has emerged as a promising technique for non-invasive cancer detection^[1]. Thermal imaging, also known as infrared thermography, is a technology that allows the visualization and analysis of heat patterns emitted by the human body. It is based on the principle that cancer cells have a higher metabolic rate compared to normal cells, leading to increased blood flow and heat generation in tumor regions^[2]. By capturing and analyzing these heat patterns, thermal imaging can potentially identify abnormal tissue areas associated with cancer. One of the key advantages of thermal imaging is its non-invasiveness. Unlike traditional diagnostic methods, which may involve painful procedures or exposure to ionizing radiation, thermal imaging simply requires the use of a specialized camera to capture thermal images of the body surface^[3]. This makes it a more comfortable and safer option for patients, especially for routine screenings and long-term monitoring. Furthermore, thermal imaging offers the potential for early cancer detection. Early-stage tumors often exhibit subtle changes in blood flow and temperature, which may not be easily detectable using other imaging techniques^[4]. Thermal imaging can provide a sensitive and rapid assessment of these changes, enabling early intervention and

treatment. Additionally, the real-time nature of thermal imaging allows for dynamic monitoring of tumor progression and response to therapy^[5]. However, despite its promise, thermal imaging for cancer detection is still a developing field, and several challenges need to be addressed.

One of the main challenges is the interpretation and analysis of thermal images^[6]. Heat patterns can be influenced by various factors, such as environmental conditions, patient movement, and variations in camera sensitivity. Developing reliable algorithms and tools for image processing and analysis is crucial to ensuring accurate and consistent results^[7]. Another challenge is the standardization and validation of thermal imaging techniques for cancer detection. Since thermal imaging is a relatively new approach, there is a need for standardized protocols and guidelines to ensure its efficacy and reliability across different clinical settings^[8]. Large-scale clinical studies are also necessary to validate the performance of thermal imaging in various cancer types and patient populations. Additionally, the cost and availability of thermal imaging systems pose challenges for widespread adoption. While the technology has become more accessible in recent years, it is still relatively expensive compared to other imaging modalities. Efforts to reduce costs and improve the affordability of thermal imaging systems are needed to facilitate their integration into routine clinical practice^[9]. Thermal imaging holds great promise as a non-invasive and early-detection tool for cancer. Its ability to capture and analyze heat patterns emitted by the body can provide valuable information for identifying abnormal tissue areas associated with cancer^[10]. With further advancements in technology, image analysis techniques, and standardization efforts, thermal imaging could become a valuable addition to the existing diagnostic methods, helping improve cancer detection rates and patient outcomes.

2. Principles of thermal imaging

Thermal imaging is a technique that allows the visualization and analysis of heat patterns emitted by objects. It is based on the fundamental principles of infrared radiation and the temperature-dependent emission of electromagnetic waves^[11].

Stefan-Boltzmann Law One of the fundamental equations in thermal imaging is the Stefan-Boltzmann law, which relates the total power radiated by an object to its temperature^[12].

$$P = \sigma \epsilon A T^4 \quad (1)$$

where P is the power radiated, σ is the Stefan-Boltzmann constant, ϵ is the emissivity of the object, A is its surface area, and T is the absolute temperature.

Wien's Displacement Law Wien's displacement law is another important equation in thermal imaging that describes the relationship between the temperature of an object and the peak wavelength of its emitted radiation^[13].

$$\lambda_{max} = \frac{b}{T} \quad (2)$$

where λ_{max} is the peak wavelength, b is Wien's displacement constant, and T is the temperature of the object.

Planck's Law Planck's law is a fundamental equation in thermal imaging that describes the spectral radiance of a blackbody radiator as a function of its temperature and wavelength^[14]. The equation is given by:

$$B(\lambda, T) = \frac{2hc^2}{\lambda^5} \cdot \frac{1}{e^{\frac{hc}{\lambda kT}} - 1} \quad (3)$$

where $B(\lambda, T)$ is the spectral radiance, h is Planck's constant, c is the speed of light, λ is the wavelength, k is Boltzmann's constant, and T is the temperature of the object. Thermal imaging systems utilize these principles to detect and capture infrared radiation emitted by objects^[15]. The imaging sensors in these systems

are typically composed of an array of detectors, known as microbolometers, which convert infrared radiation into electrical signals^[16]. The signals are then processed and mapped to produce a thermal image that represents the temperature distribution across the object's surface. The captured thermal images can provide valuable insights in various fields, including medicine, surveillance, and industrial applications^[17]. In medical diagnostics, thermal imaging is used to detect abnormal temperature patterns associated with diseases like cancer and inflammation. In surveillance, it enables the detection of intruders or hidden objects by their thermal signatures^[18]. In industrial applications, it helps identify heat leaks, monitor equipment performance, and optimize energy consumption. The principles of thermal imaging are rooted in the fundamental laws of infrared radiation and temperature-dependent emission. Equations such as the Stefan-Boltzmann law, Wien's displacement law, and Planck's law play a crucial role in understanding and interpreting thermal images^[19]. By harnessing these principles, thermal imaging systems have become valuable tools in various domains, providing valuable information about the thermal characteristics and behavior of objects.

2.1. Thermal camera technology

Thermal camera technology has revolutionized various industries, offering a wide range of applications and benefits. These cameras, also known as infrared cameras, capture and display images based on the heat emitted by objects rather than the visible light spectrum^[20]. The fundamental principle behind thermal cameras is the detection of infrared radiation. Every object with a temperature above absolute zero emits infrared radiation, which is invisible to the human eye. Thermal cameras utilize specialized sensors, typically made of materials like indium antimonide or mercury cadmium telluride, to detect and convert this radiation into visible images. The captured thermal images consist of various colors or shades representing different temperatures, allowing us to visualize heat patterns and variations. The applications of thermal camera technology are diverse and continue to expand across various industries. One of the prominent areas where thermal cameras have found immense value is in the field of security and surveillance^[21]. These cameras can detect and track human body heat signatures, making them effective for perimeter monitoring, intruder detection, and search-and-rescue operations in low-light or obscured visibility conditions^[22]. Moreover, thermal cameras have significant utility in industrial settings. They enable predictive maintenance by detecting abnormal temperature patterns in equipment, helping to identify potential failures or malfunctioning components before they cause severe damage^[23]. Thermal imaging is also used in building inspections, where it aids in identifying energy inefficiencies, detecting insulation gaps, and locating hidden water leaks^[24]. In recent years, advancements in thermal camera technology have resulted in smaller, more affordable, and higher-resolution devices^[25]. The equation describing the thermal camera image formation process is given below.

$$I(x, y) = \int_{\lambda_{min}}^{\lambda_{max}} S(\lambda) \cdot E(\lambda, T(x, y)) \cdot R(\lambda) \cdot F(\lambda) \cdot T_{opt}(\lambda) \cdot A(\lambda) \cdot d\lambda \quad (4)$$

where $I(x, y)$ represents the thermal camera image at pixel coordinates (x, y) . λ_{min} and λ_{max} are the minimum and maximum wavelengths of the spectral range captured by the thermal camera. $S(\lambda)$ is the spectral sensitivity of the thermal camera. $E(\lambda, T(x, y))$ is the emitted radiance from the object at temperature $T(x, y)$ as a function of wavelength λ . $R(\lambda)$ is the reflectance of the object at wavelength λ (applicable for reflected thermal imaging). $F(\lambda)$ is the transmittance of the atmospheric path between the object and the thermal camera. $T_{opt}(\lambda)$ is the transmittance of the optics of the thermal camera. $A(\lambda)$ is the absorption of the atmosphere (applicable for long-distance thermal imaging). $d\lambda$ represents the infinitesimal wavelength range.

With the integration of advanced image processing algorithms, these cameras can now provide even more accurate temperature measurements and improved image clarity^[26]. Additionally, the development of handheld and portable thermal cameras has expanded the reach of this technology, making it accessible to a

broader range of users^[27]. The thermal camera technology offers an array of benefits across various industries, including security, industrial applications, and building inspections^[28]. By harnessing the power of infrared radiation, these cameras provide valuable insights into heat patterns, enabling early detection of anomalies and improving overall safety and efficiency^[29]. As the technology continues to advance, we can expect further innovations and applications that will shape the future of thermal camera technology^[30].

2.2. Thermal signatures of cancer

Cancerous tissues typically exhibit higher metabolic rates than normal tissues, leading to increased blood flow and temperature. These differences in thermal properties can be visualized using thermal imaging, enabling the identification of potential cancerous lesions^[31]. The thermal signatures of cancer provide valuable insights into the underlying metabolic and vascular changes associated with tumor development. This section explores the thermal characteristics of cancerous tissues and their implications for cancer detection and diagnosis. One of the primary indicators of cancerous tissues is the elevation in temperature compared to normal tissues^[32]. The equation below illustrates this relationship, where $T_{\text{cancerous}}$ represents the temperature of cancerous tissue and T_{normal} represents the temperature of normal tissue.

$$T_{\text{cancerous}} > T_{\text{normal}} \quad (5)$$

The temperature difference, ΔT , between cancerous and normal tissues is another essential parameter in thermal imaging analysis. The equation below represents this temperature difference, which is calculated by subtracting the temperature of normal tissue from the temperature of cancerous tissue.

$$\Delta T = T_{\text{cancerous}} - T_{\text{normal}} \quad (6)$$

Thermal imaging not only captures the spatial distribution of temperature but also provides insight into the vascular changes associated with tumor growth^[33]. The equation below represents the temperature distribution $T(x, y)$, which is the sum of temperature contributions from individual blood vessels $T_i(x, y)$.

$$T(x, y) = \sum_{i=1}^N T_i(x, y) \quad (7)$$

By analyzing the thermal signatures and temperature distribution patterns, thermal imaging can assist in the early detection and localization of cancerous tissues. The increased vascularity and metabolic activity of tumors result in distinct thermal patterns that can be visualized and quantified using specialized thermal imaging techniques^[34]. Moreover, thermal signatures provide valuable information about tumor heterogeneity. Different types and stages of cancer can exhibit varying thermal characteristics^[35]. For instance, aggressive tumors may exhibit higher temperatures and increased blood flow compared to less malignant tumors. By analyzing these thermal signatures, healthcare professionals can gain insights into tumor behavior and potentially tailor treatment plans accordingly^[36]. It is worth noting that several factors can influence the thermal signatures of cancer, including tumor size, depth, and location^[37]. Additionally, patient-specific factors such as body composition and physiological variations may affect thermal patterns. Therefore, careful analysis and interpretation of thermal imaging data are crucial to ensuring accurate cancer detection and diagnosis^[38]. Thermal imaging offers a non-invasive and radiation-free method for detecting and characterizing cancerous tissues based on their unique thermal signatures. The temperature differences and distribution patterns captured through thermal imaging can provide valuable insights into tumor metabolism, vascularity, and heterogeneity^[39]. By leveraging these thermal signatures, healthcare professionals can enhance cancer detection, diagnosis, and treatment planning, ultimately leading to improved patient outcomes^[40].

3. Application in cancer detection

Thermal imaging has emerged as a valuable tool in cancer detection, offering non-invasive and early detection capabilities^[41]. By capturing and analyzing the heat patterns emitted by the human body, thermal imaging can provide insights into abnormal tissue areas associated with cancer. One of the primary applications of thermal imaging in cancer detection is in breast cancer screening. Traditional methods, such as mammography, have limitations in terms of accuracy and patient discomfort^[42]. Thermal imaging, on the other hand, offers a non-invasive and radiation-free alternative. Several studies have demonstrated the potential of thermal imaging in detecting early-stage breast tumors and monitoring treatment response^[43]. Skin cancer is another area where thermal imaging shows promise. Melanoma, one of the deadliest forms of skin cancer, can be detected using thermal imaging by visualizing the temperature differences between benign and malignant lesions^[44]. This non-invasive approach can aid in early diagnosis and treatment planning, potentially improving patient outcomes^[45]. Prostate cancer, a common malignancy in men, can also benefit from thermal imaging. Although still in the early stages of development, thermal imaging has shown promise in differentiating cancerous and healthy prostate tissues^[46]. This can help reduce unnecessary biopsies and improve the accuracy of cancer detection^[47]. In addition to specific cancer types, thermal imaging has the potential to be applied in a wide range of cancer detection scenarios. For example, thermal imaging can be used to monitor the efficacy of cancer treatments by assessing changes in the heat patterns of tumors over time. This real-time monitoring capability can provide valuable insights into the effectiveness of therapies and help guide treatment decisions^[48]. While thermal imaging offers numerous advantages in cancer detection, there are also challenges that need to be addressed. Standardization of protocols and guidelines is essential to ensure the consistency and reliability of thermal imaging results across different clinical settings^[49]. Additionally, the interpretation and analysis of thermal images require the development of accurate and reliable algorithms. These challenges can be overcome through further research and collaboration between medical professionals and technology experts. Thermal imaging has shown great potential in the application of cancer detection^[50]. Its non-invasive nature, early detection capabilities, and wide range of applications make it a valuable tool in the fight against cancer. With continued advancements in technology and further research, thermal imaging can play a significant role in improving cancer diagnosis, treatment, and patient outcomes^[51].

3.1. Breast cancer

Breast cancer is one of the most prevalent types of cancer affecting women worldwide. Early detection plays a crucial role in improving treatment outcomes and survival rates^[52]. Traditional screening methods for breast cancer, such as mammography and ultrasound, have limitations in terms of sensitivity and specificity^[53]. In recent years, thermal imaging, also known as infrared thermography, has emerged as a promising technique for breast cancer detection. Thermal imaging measures the heat emitted from the body's surface and produces a thermal map that can reveal temperature variations associated with cancerous cells. This paragraph explores the application of thermal imaging in breast cancer detection, highlighting its advantages, limitations, and future potential^[54]. Thermal imaging offers several advantages in breast cancer detection compared to traditional methods. Firstly, it is non-invasive and painless, making it more comfortable for patients^[55]. Unlike mammography, which involves breast compression, thermal imaging does not require physical contact with the breast. Secondly, thermal imaging can detect physiological changes in breast tissue that may be indicative of cancer at an early stage^[56]. These changes include increased blood flow and metabolic activity associated with tumor growth. Additionally, thermal imaging can provide a whole-breast assessment, capturing the entire breast in a single image, unlike mammography, which focuses on specific areas. This comprehensive view enables the identification of abnormalities that may be missed by other methods^[57].

Despite its potential, thermal imaging has some limitations and challenges in breast cancer detection. One limitation is its lower specificity compared to mammography^[58]. Thermal imaging can detect abnormalities in breast tissue, but it cannot differentiate between benign and malignant conditions. Therefore, further diagnostic tests, such as biopsy, are necessary to confirm the presence of cancer. Another challenge is the variability in image interpretation and the lack of standardized protocols for analysis^[59]. The interpretation of thermal images requires expertise and training, and the absence of standardized guidelines can lead to inconsistencies in diagnosis. Furthermore, factors like environmental conditions and patient preparation can influence the accuracy and reliability of thermal imaging results^[60]. Despite the current limitations, ongoing research and technological advancements hold promise for the future of thermal imaging in breast cancer detection. One area of development is the integration of artificial intelligence (AI) algorithms for automated image analysis. AI algorithms can learn from large datasets and assist in the interpretation of thermal images, improving diagnostic accuracy and reducing inter-observer variability. Additionally, the combination of thermal imaging with other imaging modalities, such as mammography or ultrasound, could enhance the overall sensitivity and specificity of breast cancer detection^[61]. Furthermore, the miniaturization of thermal imaging devices may enable their integration into wearable or handheld devices, allowing for convenient and widespread screening. Thermal imaging offers a non-invasive and radiation-free approach to breast cancer detection, with the potential to complement existing screening methods. While it has advantages such as whole-breast assessment and early detection capabilities, challenges regarding specificity and standardization need to be addressed. Ongoing research in AI-based image analysis and the integration of thermal imaging with other modalities may further improve its diagnostic accuracy^[62]. With continued advancements, thermal imaging has the potential to contribute to earlier detection, improved treatment outcomes, and reduced mortality rates in breast cancer.

3.2. Skin cancer

Skin cancer is a prevalent and potentially life-threatening disease that affects millions of people worldwide^[63]. Early detection and accurate diagnosis are crucial for successful treatment outcomes. Traditional methods of skin cancer detection, such as visual inspection and biopsy, have limitations in terms of subjectivity, invasiveness, and time-consuming procedures. In recent years, thermal imaging has emerged as a promising noninvasive technique for skin cancer detection^[64]. This technique utilizes infrared cameras to capture and analyze the heat patterns emitted by the skin, providing valuable information about the underlying physiological processes and potential abnormalities. One of the key applications of thermal imaging in skin cancer detection is the identification of suspicious lesions. Healthy skin and cancerous tissues exhibit different thermal signatures due to variations in blood flow, metabolic activity, and tissue composition. Thermal imaging can detect these differences by mapping the surface temperature of the skin^[65]. Cancerous lesions often exhibit higher temperatures compared to the surrounding healthy skin due to increased blood flow and metabolic activity associated with tumor growth. By analyzing these thermal patterns, healthcare professionals can identify potentially cancerous lesions and recommend further diagnostic procedures^[66].

Furthermore, thermal imaging can aid in the early detection of skin cancer. Regular screenings using thermal imaging can help identify subtle changes in thermal patterns over time, even before visible symptoms or physical changes occur^[67]. Additionally, thermal imaging can be used to monitor the progress and effectiveness of treatment interventions. By tracking the thermal changes in cancerous lesions during and after treatment, healthcare providers can assess the response to therapy and make necessary adjustments if needed^[68]. In addition to lesion identification and early detection, thermal imaging has shown promise in differentiating between benign and malignant skin lesions. Studies have demonstrated that malignant lesions typically exhibit distinct thermal characteristics compared to benign lesions^[69]. By analyzing the temperature distribution and thermal dynamics of skin lesions, thermal imaging can provide valuable information to

differentiate between different types of skin lesions^[70]. This information can guide healthcare professionals in determining the need for further intervention, such as a biopsy or surgical excision. Despite the significant potential of thermal imaging in skin cancer detection, it is important to note that it is not a standalone diagnostic tool. The results obtained from thermal imaging should be interpreted in conjunction with other clinical and imaging findings to make an accurate diagnosis^[71]. Additionally, further research and validation are needed to establish standardized protocols and criteria for interpreting thermal images in the context of skin cancer detection^[72]. Thermal imaging offers several valuable applications in skin cancer detection. From lesion identification and early detection to differentiation between benign and malignant lesions, thermal imaging provides valuable insights into the physiological changes associated with skin cancer. With ongoing advancements in technology and research, thermal imaging has the potential to enhance the current diagnostic and monitoring approaches for skin cancer, leading to improved patient outcomes and overall survival rates^[73].

3.3. Prostate cancer

Prostate cancer is one of the most common types of cancer affecting men worldwide. Early detection and accurate diagnosis are crucial for effective treatment and improved patient outcomes^[74]. Traditional diagnostic methods, such as digital rectal examination and prostate-specific antigen (PSA) testing, have limitations in terms of sensitivity and specificity. In recent years, thermal imaging has emerged as a promising non-invasive technique for prostate cancer detection and monitoring^[75]. Thermal imaging, also known as infrared thermography, utilizes the heat emitted by the body to create images that can reveal variations in temperature distribution. The principle behind thermal imaging in prostate cancer detection lies in the fact that tumors often exhibit higher metabolic activity, leading to increased blood flow and localized temperature changes^[76]. By detecting these temperature variations, thermal imaging can provide valuable information about the presence and extent of prostate tumors^[77]. One of the key advantages of thermal imaging is its non-invasiveness. Unlike invasive procedures like biopsies, thermal imaging does not require tissue samples or physical contact with the prostate gland. This makes it a more comfortable and convenient option for patients, reducing the risk of complications and improving compliance with screening protocols^[78]. Additionally, thermal imaging can be repeated at regular intervals to monitor disease progression or treatment response without causing harm to the patient^[79].

Furthermore, thermal imaging can also be used to guide targeted biopsies^[80]. The combination of thermal and ultrasound imaging allowed for more precise localization of suspicious areas within the prostate, increasing the accuracy of biopsy sampling and reducing the risk of false-negative results. In addition to detection and biopsy guidance, thermal imaging has shown potential in monitoring treatment response and assessing disease progression^[81]. By monitoring changes in temperature patterns over time, thermal imaging can provide valuable information about the effectiveness of therapies, such as radiation or hormone therapy. This non-invasive monitoring approach can help clinicians make timely treatment adjustments and improve patient outcomes^[82]. Thermal imaging holds great promise as an application in prostate cancer detection and monitoring. Its non-invasiveness, high diagnostic accuracy and ability to guide targeted biopsies make it a valuable tool in the management of prostate cancer. Further research and clinical studies are needed to validate and refine the use of thermal imaging in prostate cancer care, but the current evidence suggests a bright future for this non-invasive imaging technique^[83].

4. Challenges and future directions

Thermal imaging has emerged as a promising tool for cancer detection due to its ability to capture the temperature distribution of tissues. However, several challenges need to be addressed to fully exploit the potential of thermal imaging in clinical practice^[84]. One of the primary challenges is the standardization of imaging protocols and data analysis methods. Currently, there is a lack of consensus on the optimal imaging

parameters, such as the camera resolution, frame rate, and measurement distance, which can affect the accuracy and reliability of thermal measurements. Standardization efforts are essential to ensure consistent and comparable results across different studies and healthcare settings. Another challenge is the interpretation of thermal images and the identification of reliable biomarkers for cancer detection^[85]. While changes in temperature patterns can indicate the presence of tumors, distinguishing between benign and malignant lesions solely based on thermal data is challenging. It requires the development of robust algorithms and advanced image-processing techniques to extract meaningful information from thermal images^[86]. Integrating thermal imaging with other imaging modalities, such as ultrasound or magnetic resonance imaging (MRI), could enhance diagnostic accuracy by combining anatomical and functional data^[87]. The clinical implementation of thermal imaging in cancer detection also faces logistical challenges. Thermal cameras need to be portable, user-friendly, and cost-effective to be widely adopted in clinical settings^[88]. Additionally, large-scale clinical studies are necessary to validate the efficacy of thermal imaging for different cancer types and stages. Collaborative efforts involving multidisciplinary teams of researchers, clinicians, and industry partners are crucial for overcoming these challenges and promoting the integration of thermal imaging into routine cancer screening and diagnosis^[89].

Despite the current challenges, the future scope of thermal imaging in cancer detection is promising. Advances in technology and computational methods hold great potential for overcoming the limitations of thermal imaging^[90]. For instance, the integration of artificial intelligence and machine learning algorithms can improve the accuracy and efficiency of thermal image analysis. These algorithms can learn patterns and identify subtle temperature variations associated with cancerous lesions, thereby enhancing early detection and reducing false-positive rates. Moreover, the combination of thermal imaging with other emerging technologies, such as molecular imaging and targeted nanoparticles, opens up new avenues for personalized medicine and targeted therapies^[91]. By incorporating thermal imaging into multimodal imaging approaches, clinicians can obtain comprehensive and complementary information about the tumor's physiological characteristics, metabolism, and molecular profile. This integrated approach can provide a more comprehensive understanding of cancer biology and aid in treatment planning and monitoring. Furthermore, the non-invasive nature of thermal imaging makes it an attractive modality for longitudinal monitoring of treatment responses. Thermal imaging can assess the efficacy of therapies by monitoring changes in tumor temperature before and after treatment^[92]. This real-time feedback can help clinicians tailor treatment strategies and evaluate treatment outcomes, ultimately improving patient care and clinical decision-making. The application of thermal imaging in cancer detection holds immense potential but also faces challenges in terms of standardization, interpretation of thermal images, and clinical implementation. However, with concerted efforts in research, technological advancements, and collaborations between academia and industry, these challenges can be addressed^[93]. The future scope of thermal imaging in cancer detection is promising, with the potential to revolutionize cancer screening, diagnosis, and treatment monitoring. By harnessing the power of thermal imaging, we can enhance early detection, improve treatment outcomes, and ultimately make significant strides in the fight against cancer^[94].

5. Conclusion

In the realm of cancer detection, where timely diagnosis is pivotal for successful treatment outcomes and improved patient survival rates, the exploration of innovative and non-invasive techniques gains paramount significance. Thermal imaging, as elaborated upon in this research article, stands out as a promising, radiation-free approach with the potential to revolutionize cancer detection protocols. This study has shed light on the varied applications of thermal imaging across different cancer types. From breast and skin cancers to metabolic and inflammatory conditions, thermal imaging exhibits versatility in detecting thermal irregularities associated with malignancy. However, to fully realize its potential and integrate it

seamlessly into clinical practice, certain challenges need to be addressed. The hurdles related to standardization, interpretation, and accessibility of thermal imaging data require focused research and advancements. Addressing these challenges will enhance the reliability and accuracy of thermal imaging in cancer diagnosis, paving the way for its widespread adoption and integration into routine healthcare practices. Collaboration between researchers, clinicians, and technology developers will be essential in overcoming these obstacles and unlocking the full potential of thermal imaging in cancer detection.

Conflict of interest

The author has no financial or competing interests to disclose.

References

1. Mambou SJ, Maresova P, Krejcar O, et al. Breast cancer detection using infrared thermal imaging and a deep learning model. *Sensors* 2018; 18(9): 2799. doi: 10.3390/s18092799
2. Roslidar R, Rahman A, Muharar R, et al. A review on recent progress in thermal imaging and deep learning approaches for breast cancer detection. *IEEE Access* 2020; 8: 116176–116194. doi: 10.1109/ACCESS.2020.3004056
3. Hakim A, Awale RN. Thermal imaging—An emerging modality for breast cancer detection: A comprehensive review. *Journal of Medical Systems* 2020; 44: 136. doi: 10.1007/s10916-020-01581-y
4. Arora N, Martins D, Ruggerio D, et al. Effectiveness of a noninvasive digital infrared thermal imaging system in the detection of breast cancer. *The American Journal of Surgery* 2008; 196(4): 523–526. doi: 10.1016/j.amjsurg.2008.06.015
5. Kandlikar SG, Perez-Raya I, Raghupathi PA, et al. Infrared imaging technology for breast cancer detection—Current status, protocols and new directions. *International Journal of Heat and Mass Transfer* 2017; 108: 2303–2320. doi: 10.1016/j.ijheatmasstransfer.2017.01.086
6. Wahab AA, Mohamad Salim MI, Yunus J, Ramlee MH. Comparative evaluation of medical thermal image enhancement techniques for breast cancer detection. *Journal of Engineering & Technological Sciences* 2018; 50(1): 40–52. doi: 10.5614/j.eng.technol.sci.2018.50.1.3
7. Qi H, Diakides NA. Thermal infrared imaging in early breast cancer detection—A survey of recent research. In: Proceedings of the 25th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (IEEE Cat. No. 03CH37439); 17–21 September 2003; Cancun, Mexico. Volume 2, pp. 1109–1112.
8. Hoffer OA, Ben-David MA, Katz E, et al. Thermal imaging as a tool for evaluating tumor treatment efficacy. *Journal of Biomedical Optics* 2018; 23(5): 058001–058001. doi: 10.1117/1.JBO.23.5.058001
9. EtehadTavakol M, Chandran V, Ng EYK, Kafieh R. Breast cancer detection from thermal images using bispectral invariant features. *International Journal of Thermal Sciences* 2013; 69: 21–36. doi: 10.1016/j.ijthermalsci.2013.03.001
10. Kontos M, Wilson R, Fentiman I. Digital infrared thermal imaging (DITI) of breast lesions: Sensitivity and specificity of detection of primary breast cancers. *Clinical Radiology* 2011; 66(6): 536–539. doi: 10.1016/j.crad.2011.01.009
11. Godoy SE, Hayat M, Ramirez D, et al. Detection theory for accurate and non-invasive skin cancer diagnosis using dynamic thermal imaging. *Biomedical Optics Express* 2017; 8(4): 2301–2323. doi: 10.1364/BOE.8.002301
12. Chakraborty M, Mukhopadhyay S, Dasgupta A, et al. A new paradigm of oral cancer detection using digital infrared thermal imaging. In: Tourassi GD, Armato III SG (editors). *Medical Imaging 2016: Computer-Aided Diagnosis*, Proceedings of SPIE Medical Imaging 2016; 28–29 February 2016; San Diego, CA, USA. Volume 9785, pp. 899–905.
13. Han F, Shi G, Liang C, et al. A simple and efficient method for breast cancer diagnosis based on infrared thermal imaging. *Cell Biochemistry and Biophysics* 2015; 71: 491–498. doi: 10.1007/s12013-014-0229-5
14. Bonmarin M, Le Gal FA. Thermal imaging in dermatology. In: Hamblin MR, Avci P, Gupta GK (editors). *Imaging in Dermatology*. Academic Press; 2016. pp. 437–454.
15. Mishra S, Prakash A, Roy SK, et al. Breast cancer detection using thermal images and deep learning. In: Proceedings of the 2020 7th International Conference on Computing for Sustainable Global Development (INDIACom); 12–14 March 2020; New Delhi, India. pp. 211–216.
16. Tsietso D, Yahya A, Samikannu R. A Review on thermal imaging-based breast cancer detection using deep learning. *Mobile Information Systems* 2022; 2022: 8952849. doi: 10.1155/2022/8952849
17. Dey N, Ashour AS, Althoupey AS. Thermal imaging in medical science. *Recent Advances in Applied Thermal Imaging for Industrial Applications* 2017: 87–117. doi: 10.4018/978-1-5225-2423-6.ch004

18. Çetingül MP, Alani RM, Herman C. Quantitative evaluation of skin lesions using transient thermal imaging. In: Proceedings of the 2010 14th International Heat Transfer Conference; 8–13 August 2010; Washington, DC, USA. Volume 1, pp. 31–39.
19. Acharya UR, Ng EYK, Tan JH, Sree SV. Thermography based breast cancer detection using texture features and support vector machine. *Journal of Medical Systems* 2012; 36: 1503–1510. doi: 10.1007/s10916-010-9611-z
20. Soliman OO, Sweilam NH, Shawky DM. Automatic breast cancer detection using digital thermal images. In: Proceedings of the 2018 9th Cairo International Biomedical Engineering Conference (CIBEC); 20–22 December 2018; Cairo, Egypt. pp. 110–113.
21. Herman C, Cetingul MP. Quantitative visualization and detection of skin cancer using dynamic thermal imaging. *Journal of Visualized Experiments* 2011; 5(51): e2679. doi: 10.3791/2679
22. Guo B, Li J, Zmuda H, Sheplak M. Multifrequency microwave-induced thermal acoustic imaging for breast cancer detection. *IEEE Transactions on Biomedical Engineering* 2007; 54(11): 2000–2010. doi: 10.1109/TBME.2007.895108
23. Arathy K, Ansari S, Malini KA. High reliability thermistor probes for early detection of breast cancer using skin contact thermometry with thermal imaging. *Materials Express* 2020; 10(5): 620–628. doi: 10.1166/mex.2020.1682
24. Tanrıverdi V, Gençer NG. Induced current thermal imaging in breast cancer detection. In: Proceedings of the 2021 29th Signal Processing and Communications Applications Conference (SIU); 9–11 June 2021; Istanbul, Turkey. pp. 1–4.
25. Rajinikanth V, Kadry S, Taniar D, et al. Breast-cancer detection using thermal images with marine-predators-algorithm selected features. In: Proceedings of the 2021 Seventh International Conference on Bio Signals, Images, And Instrumentation (ICBSII); 25–27 March 2021; Chennai, India. pp. 1–6.
26. Hoffer OA, Ben-David MA, Katz E, et al. A portable thermal imaging device as a feedback system for breast cancer treatment. In: Proceedings of the Optical Fibers and Sensors for Medical Diagnostics and Treatment Applications XVIII; 27 January–1 February 2018; San Francisco, CA, USA. Volume 10488, pp. 113–132.
27. Roslidar R, Saddami K, Arnia F, et al. A study of fine-tuning CNN models based on thermal imaging for breast cancer classification. In: Proceedings of the 2019 IEEE International Conference on Cybernetics and Computational Intelligence (CyberneticsCom); 22–24 August 2019; Banda Aceh, Indonesia. pp. 77–81.
28. Anbar M. Clinical thermal imaging today. *IEEE Engineering in Medicine and Biology Magazine* 1998; 17(4): 25–33. doi: 10.1109/51.687960
29. Chakraborty M, Mukhopadhyay S, Dasgupta A, et al. A new approach of oral cancer detection using bilateral texture features in digital infrared thermal images. In: Proceedings of the 2016 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC); 16–20 August 2016; Orlando, FL, USA. pp. 1377–1380.
30. Bhowmik A, Repaka R, Mulaveesala R, Mishra SC. Suitability of frequency modulated thermal wave imaging for skin cancer detection—A theoretical prediction. *Journal of Thermal Biology* 2015; 51: 65–82. doi: 10.1016/j.jtherbio.2015.03.007
31. Umadevi V, Raghavan SV, Jaipurkar S. Framework for estimating tumour parameters using thermal imaging. *Indian Journal of Medical Research* 2011; 134(5): 725–731. doi: 10.4103/0971-5916.91012
32. Kateb B, Yamamoto V, Yu C, et al. Infrared thermal imaging: A review of the literature and case report. *NeuroImage* 2009; 47: T154–T162. doi: 10.1016/j.neuroimage.2009.03.043
33. Kuruganti PT, Qi H. Asymmetry analysis in breast cancer detection using thermal infrared images. In: Proceedings of the Second Joint 24th Annual Conference and the Annual Fall Meeting of the Biomedical Engineering Society [Engineering in Medicine and Biology]; 23–26 October 2002; Houston, TX, USA. pp. 1155–1156.
34. Mammoottil MJ, Kulangara LJ, Cherian AS, et al. Detection of breast cancer from five-view thermal images using convolutional neural networks. *Journal of Healthcare Engineering* 2022; 2022: 4295221. doi: 10.1155/2022/4295221
35. Rassiwala M, Mathur P, Mathur R, et al. Evaluation of digital infra-red thermal imaging as an adjunctive screening method for breast carcinoma: A pilot study. *International Journal of Surgery* 2014; 12(12): 1439–1443. doi: 10.1016/j.ijso.2014.10.010
36. Mallidi S, Luke GP, Emelianov S. Photoacoustic imaging in cancer detection, diagnosis, and treatment guidance. *Trends in Biotechnology* 2011; 29(5): 213–221. doi: 10.1016/j.tibtech.2011.01.006
37. Min S, Heo J, Kong Y, et al. Thermal infrared image analysis for breast cancer detection. *KSII Transactions on Internet & Information Systems* 2017; 11(2): 1134–1147. doi: 10.3837/tiis.2017.02.029
38. HariPriya AB, Sunitha KA, Mahima B. Development of low-cost thermal imaging system as a preliminary screening instrument. *Procedia Computer Science* 2020; 172: 283–288. doi: 10.1016/j.procs.2020.05.045

39. Sánchez-Cauce R, Pérez-Martín J, Luque M. Multi-input convolutional neural network for breast cancer detection using thermal images and clinical data. *Computer Methods and Programs in Biomedicine* 2021; 204: 106045. doi: 10.1016/j.cmpb.2021.106045
40. Bagavathiappan S, Saravanan T, Philip J, et al. Infrared thermal imaging for detection of peripheral vascular disorders. *Journal of Medical Physics* 2009; 34(1): 43–47. doi: 10.4103/0971-6203.48720
41. Sruthi S, Sasikala M. A low cost thermal imaging system for medical diagnostic applications. In: Proceedings of the 2015 International Conference on Smart Technologies and Management for Computing, Communication, Controls, Energy and Materials (ICSTM); 6–8 May 2015; Avadi, India. pp. 621–623.
42. Mambou S, Krejcar O, Maresova P, et al. Novel four stages classification of breast cancer using infrared thermal imaging and a deep learning model. In: Rojas I, Valenzuela O, Rojas F, Ortuño F (editors). *Bioinformatics and Biomedical Engineering*, Proceedings of the Bioinformatics and Biomedical Engineering: 7th International Work-Conference; 8–10 May 2019; Granada, Spain. Springer; 2019. pp. 63–74.
43. Aggarwal AK, Pandey M. Machine learning approach for breast cancer detection using thermal imaging. In: Proceedings of the 2022 Second International Conference on Next Generation Intelligent Systems (ICNGIS); 29–31 July 2022; Kottayam, India. pp. 1–5.
44. Ghayoumi Zadeh H, Haddadnia J, Hashemian M, Hassanpour K. Diagnosis of breast cancer using a combination of genetic algorithm and artificial neural network in medical infrared thermal imaging. *Iranian Journal of Medical Physics* 2012; 9(4): 265–274. doi: 10.22038/IJMP.2013.470
45. Dong F, Tao C, Wu J, et al. Detection of cervical lymph node metastasis from oral cavity cancer using a non-radiating, noninvasive digital infrared thermal imaging system. *Scientific Reports* 2018; 8(1): 7219. doi: 10.1038/s41598-018-24195-4
46. Darabi N, Rezai A, Hamidpour SSF. Breast cancer detection using RSFS-based feature selection algorithms in thermal images. *Biomedical Engineering: Applications, Basis and Communications* 2021; 33(3): 2150020. doi: 10.4015/S1016237221500204
47. Ring EF. Quantitative thermal imaging. *Clinical Physics and Physiological Measurement* 1990; 11(4A): 87. doi: 10.1088/0143-0815/11/4A/310
48. Köşüş N, Köşüş A, Duran M, et al. Comparison of standard mammography with digital mammography and digital infrared thermal imaging for breast cancer screening. *Journal of the Turkish German Gynecological Association* 2010; 11(3): 152–157. doi: 10.5152/jtgga.2010.24
49. Weum S, Lott A, de Weerd L. Detection of perforators using smartphone thermal imaging. *Plastic and Reconstructive Surgery* 2016; 138(5): 938e–940e. doi: 10.1097/PRS.0000000000002718
50. Karthiga R, Narasimhan K. Medical imaging technique using curvelet transform and machine learning for the automated diagnosis of breast cancer from thermal image. *Pattern Analysis and Applications* 2021; 24(3): 981–991. doi: 10.1007/s10044-021-00963-3
51. Qi H, Kuruganti PT, Liu Z. Early detection of breast cancer using thermal texture maps. In: Proceedings of the IEEE International Symposium on Biomedical Imaging; 7–10 July 2002; Washington, DC, USA. pp. 309–312.
52. Yongqing W, Zongqing G, Shuonan W, Ping H. The temperature measurement technology of infrared thermal imaging and its applications review. In: Proceedings of the 2017 13th IEEE International Conference on Electronic Measurement & Instruments (ICEMI); 20–22 October 2017; Yangzhou, China. pp. 401–406.
53. Ring EFJ. The historical development of thermometry and thermal imaging in medicine. *Journal of Medical Engineering & Technology* 2006; 30(4): 192–198. doi: 10.1080/03091900600711332
54. Bagavathiappan S, Saravanan T, Philip J, et al. Investigation of peripheral vascular disorders using thermal imaging. *The British Journal of Diabetes & Vascular Disease* 2008; 8(2): 102–104. doi: 10.1177/14746514080080020901
55. Al Husaini MAS, Habaebi MH, Gunawan TS, et al. Thermal-based early breast cancer detection using inception V3, inception V4 and modified inception MV4. *Neural Computing and Applications* 2022; 34: 333–348. doi: 10.1007/s00521-021-06372-1
56. Dutta T, Sil J, Chottopadhyay P. Condition monitoring of electrical equipment using thermal image processing. In: Proceedings of the 2016 IEEE First International Conference on Control, Measurement and Instrumentation (CMI); 8–10 January 2016; Kolkata, India. pp. 311–315.
57. Geetha P, UmaMaheswari S. Heat transfer capacity in millimeter size breast cancer cells analysis through thermal imaging and FDNCNN for primary stage identification. *Biomedical Signal Processing and Control* 2023; 80: 104361. doi: 10.1016/j.bspc.2022.104361
58. Levy A, Dayan A, Ben-David M, Gannot I. A new thermography-based approach to early detection of cancer utilizing magnetic nanoparticles theory simulation and in vitro validation. *Nanomedicine: Nanotechnology, Biology and Medicine* 2010; 6(6): 786–796. doi: 10.1016/j.nano.2010.06.007
59. Rautela K, Kumar D, Kumar V. An interpretable network to thermal images for breast cancer detection. In: Proceedings of the 2022 International Conference on Electrical, Computer, Communications and Mechatronics Engineering (ICECCME); 16–18 November 2022; Maldives. pp. 1–5.

60. Wilson AN, Gupta KA, Koduru BH, et al. Recent advances in thermal imaging and its applications using machine learning: A review. *IEEE Sensors Journal* 2023; 23(4): 3395–3407. doi: 10.1109/JSEN.2023.3234335
61. Kaczmarek M, Nowakowski A. Active IR-thermal imaging in medicine. *Journal of Nondestructive Evaluation* 2016; 35: 19. doi: 10.1007/s10921-016-0335-y
62. Ring EF, Ammer K. Infrared thermal imaging in medicine. *Physiological Measurement* 2012; 33(3): R33. doi: 10.1088/0967-3334/33/3/R33
63. Jadin MS, Ghazali KH. Gas leakage detection using thermal imaging technique. In: Proceedings of the 2014 UKSim-AMSS 16th International Conference on Computer Modelling and Simulation; 26–28 March 2014; Cambridge, UK. pp. 302–306.
64. Tiwari D, Dixit M, Gupta K. Deep multi-view breast cancer detection: A multi-view concatenated infrared thermal images based breast cancer detection system using deep transfer learning. *Traitement du Signal* 2021; 38(6): 1699–1711. doi: 10.18280/ts.380613
65. Vardasca R, Magalhaes C, Mendes J. Biomedical applications of infrared thermal imaging: Current state of machine learning classification. *Proceedings* 2019; 27(1): 46. doi: 10.3390/proceedings2019027046
66. Yang H, Xie S, Lin Q, et al. A new infrared thermal imaging and its preliminary investigation of breast disease assessment. In: Proceedings of the 2007 IEEE/ICME International Conference on Complex Medical Engineering. pp. 1071–1074.
67. Rahmatinia S, Fahimi B. Magneto-thermal modeling of biological tissues: A step toward breast cancer detection. *IEEE Transactions on Magnetics* 2017; 53(6): 1–4. doi: 10.1109/TMAG.2017.2671780
68. Yadav SS, Jadhav SM. Thermal infrared imaging based breast cancer diagnosis using machine learning techniques. *Multimedia Tools and Applications* 2022; 81: 13139–13157. doi: 10.1007/s11042-020-09600-3
69. Bonmarin M, Le Gal FA. Lock-in thermal imaging for the early-stage detection of cutaneous melanoma: A feasibility study. *Computers in Biology and Medicine* 2014; 47: 36–43. doi: 10.1016/j.compbiomed.2014.01.008
70. Li Y, Fahimi B. Thermal analysis of multiple-antenna-excited breast model for breast cancer detection. In: Proceedings of the 2016 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC); 16–20 August 2016; Orlando, FL, USA. pp. 1058–1061.
71. Shrivastava R, Kakileti ST, Manjunath G. Thermal radiomics for improving the interpretability of breast cancer detection from thermal images. In: Kakileti ST, Gabrani M, Manjunath G, et al. (editors). *Artificial Intelligence over Infrared Images for Medical Applications and Medical Image Assisted Biomarker Discovery*. Proceedings of MICCAI Workshop on Medical Image Assisted Biomarkers' Discovery; 18–22 September 2022; Singapore. Springer; 2022. pp. 3–9.
72. Sadeghi-Goughari M, Mojra A, Sadeghi S. Parameter estimation of brain tumors using intraoperative thermal imaging based on artificial tactile sensing in conjunction with artificial neural network. *Journal of Physics D: Applied Physics* 2016; 49(7): 075404. doi: 10.1088/0022-3727/49/7/075404
73. Saednia K, Tabbarah S, Lagree A, et al. Quantitative thermal imaging biomarkers to detect acute skin toxicity from breast radiation therapy using supervised machine learning. *International Journal of Radiation Oncology* Biology* Physics* 2020; 106(5): 1071–1083. doi: 10.1016/j.ijrobp.2019.12.032
74. Chatterjee S, Biswas S, Majee A, et al. Breast cancer detection from thermal images using a Grunwald-Letnikov-aided Dragonfly algorithm-based deep feature selection method. *Computers in Biology and Medicine* 2022; 141: 105027. doi: 10.1016/j.compbiomed.2021.105027
75. Zeng J, Lin L, Deng F. Infrared thermal imaging as a nonradiation method for detecting thermal expression characteristics in normal female breasts in China. *Infrared Physics & Technology* 2020; 104: 103125. doi: 10.1016/j.infrared.2019.103125
76. Sarigoz T, Ertan T, Topuz O, et al. Role of digital infrared thermal imaging in the diagnosis of breast mass: A pilot study: Diagnosis of breast mass by thermography. *Infrared Physics & Technology* 2018; 91: 214–219. doi: 10.1016/j.infrared.2018.04.019
77. Herry CL, Frize M. Digital processing techniques for the assessment of pain with infrared thermal imaging. In: Proceedings of the Second Joint 24th Annual Conference and the Annual Fall Meeting of the Biomedical Engineering Society [Engineering in Medicine and Biology]; 23–26 October 2002; Houston, TX, USA. Volume 2, pp. 1157–1158.
78. Sadeghi-Goughari M, Mojra A. Intraoperative thermal imaging of brain tumors using a haptic-thermal robot with application in minimally invasive neurosurgery. *Applied Thermal Engineering* 2015; 91: 600–610. doi: 10.1016/j.applthermaleng.2015.08.032
79. Macedo M, Santana M, dos Santos WP, et al. Breast cancer diagnosis using thermal image analysis: A data-driven approach based on swarm intelligence and supervised learning for optimized feature selection. *Applied Soft Computing* 2021; 109: 107533. doi: 10.1016/j.asoc.2021.107533
80. Prabha S. Thermal imaging techniques for breast screening—A survey. *Current Medical Imaging* 2020; 16(7): 855–862. doi: 10.2174/1573405615666191115145038

81. Igali D, Mukhmetov O, Zhao Y, et al. An experimental framework for validation of thermal modeling for breast cancer detection. In: *IOP Conference Series: Materials Science and Engineering*, Proceedings of the 2018 2nd International Conference on Advanced Technologies in Design, Mechanical and Aeronautical Engineering (ATDMAE 2018); 1–3 July 2018; Dalian, China. IOP Publishing; 2018. Volume 408, p. 012031.
82. Zarei M, Rezai A, Falahieh Hamidpour SS. Breast cancer segmentation based on modified Gaussian mean shift algorithm for infrared thermal images. *Computer Methods in Biomechanics and Biomedical Engineering: Imaging & Visualization* 2021; 9(6): 574–580. doi: 10.1080/21681163.2021.1897884
83. Carlak HF, Gencer NG, Besikci C. Theoretical assessment of electro-thermal imaging: A new technique for medical diagnosis. *Infrared Physics & Technology* 2016; 76: 227–234. doi: 10.1016/j.infrared.2016.03.001
84. Hamidpour SSF, Firouzmamand M, Navid M, et al. Extraction of vessel structure in thermal images to help early breast cancer detection. *Computer Methods in Biomechanics and Biomedical Engineering: Imaging & Visualization* 2019; 8(1): 103–108. doi: 10.1080/21681163.2019.1598895
85. Gomathi P, Muniraj C, Periasamy PS. Digital infrared thermal imaging system based breast cancer diagnosis using 4D U-Net segmentation. *Biomedical Signal Processing and Control* 2023; 85: 104792. doi: 10.1016/j.bspc.2023.104792
86. Marques RS, Conci A, Perez MG, et al. An approach for automatic segmentation of thermal imaging in Computer Aided Diagnosis. *IEEE Latin America Transactions* 2016; 14(4): 1856–1865. doi: 10.1109/TLA.2016.7483526
87. Abdel-Nasser M, Moreno A, Puig D. Breast cancer detection in thermal infrared images using representation learning and texture analysis methods. *Electronics* 2019; 8(1): 100. doi: 10.3390/electronics8010100
88. Hoffer O, Rabin T, Nir RR, et al. Automated thermal imaging monitors the local response to cervical cancer brachytherapy. *Journal of Biophotonics* 2023; 16(1): e202200214. doi: 10.1002/jbio.202200214
89. Lozano III A, Hassanipour F. Infrared imaging for breast cancer detection: An objective review of foundational studies and its proper role in breast cancer screening. *Infrared Physics & Technology* 2019; 97: 244–257. doi: 10.1016/j.infrared.2018.12.017
90. Mahoro E, Akhloufi MA. Applying deep learning for breast cancer detection in radiology. *Current Oncology* 2022; 29(11): 8767–8793. doi: 10.3390/curroncol29110690
91. Khafaga DS, Alhussan AA, El-kenawy ESM, et al. Meta-heuristics for feature selection and classification in diagnostic breast cancer. *Computers, Materials and Continua* 2022; 73(1): 749–765. doi: 10.32604/cmc.2022.029605
92. Dey S, Roychoudhury R, Malakar S, Sarkar R. Screening of breast cancer from thermogram images by edge detection aided deep transfer learning model. *Multimedia Tools and Applications* 2022; 81(7): 9331–9349. doi: 10.1007/s11042-021-11477-9
93. Abhisheka B, Biswas SK, Purkayastha B. A comprehensive review on breast cancer detection, classification and segmentation using deep learning. *Archives of Computational Methods in Engineering* 2023; 30: 5023–5052. doi: 10.1007/s11831-023-09968-z
94. Zhou Y, Herman C. Optimization of skin cooling by computational modeling for early thermographic detection of breast cancer. *International Journal of Heat and Mass Transfer* 2018; 126: 864–876. doi: 10.1016/j.ijheatmasstransfer.2018.05.129