

REVIEW ARTICLE

Salinity-gradient solar pond: History and progress review

Khawla Sleiman^{1,2,*}, Stefan Van Vaerenbergh¹, Tayssir Hamieh^{2,3,*}

¹ Microgravity Research Center, Université libre de Bruxelles (ULB)-Service de Chimie Physique, B1050 Brussels, Belgium

² Laboratory of Materials, Catalysis, Environment and Analytical Methods Laboratory (MCEMA), Faculty of Sciences, Lebanese University, Hadath 6573/14, Lebanon

³ Faculty of Science and Engineering, Maastricht University, P.O. Box 616, 6200 MD Maastricht, Netherlands

* **Corresponding authors:** Khawla Sleiman, Khawla.Sleiman@ulb.be; Tayssir Hamieh, t.hamieh@maastrichtuniversity.nl

ABSTRACT

A salinity gradient solar pond (SGSP) is a large and deep artificial basin of layered brine, which collects and stores simultaneously-solar energy for use in various applications. Experimental and theoretical studies have been launched to understand the thermal behavior of SGSPs, under different operating conditions. This article then traces the history of SGSPs, from their natural discovery to their current artificial applications and the progress of studies and research, according to their chronological sequence, in terms of determining their physical and dynamic aspects, their operation, management and maintenance. It has extensively covered the theoretical and experimental studies, as well as the direct and laboratory applications of this technology, especially the most famous and influential in this field, classified according to the aspect covered by the study, with a comparison between the different results obtained. In addition, it highlighted the latest methods to improve the performance of an SGSP and facilitate its operation, such as the use of a magnetic field and the adoption of remote data acquisition, in the aim of expanding research and enhancing the benefit of this technology.

Keywords: Solar pond; thermal energy; salt gradient, storage zone; non-convective zone; innovative technology

ARTICLE INFO

Received: 9 August 2023

Accepted: 11 September 2023

Available online: 2 November 2023

COPYRIGHT

Copyright © 2023 by author(s).

Thermal Science and Engineering is published by EnPress Publisher, LLC. This work is

licensed under the Creative Commons

Attribution-NonCommercial 4.0 International

License (CC BY-NC 4.0).

<https://creativecommons.org/licenses/by-nc/4.0/>

1. Introduction

Solar energy, an abundant (about 800 W/m²) and ubiquitous renewable energy, has potentially interested researchers due to the possibility of exploiting it by transforming it into electrical, thermal, chemical, etc. forms. But despite this characteristic, a drawback of expensive storage equipment did not allow it to eliminate fossil energy^[1]. However, it has been found that SGSP can be a reasonable overall cost option, as it simultaneously collects and stores solar energy as sensible heat of saline water; and it features a time-independent operating system thanks to its built-in thermal energy storage^[2,3].

Experimental, analytical, and numerical studies of solar ponds date back to Kalecsinsky who was the first to detect a temperature of 70 °C at a depth of about 1.32 m in late summer, in the natural Medve Lake in Transylvania. While the minimum temperature, at the beginning of spring, was 26 °C. This phenomenon comes down to the presence of a salt gradient in the Medve Lake and was reported in other different regions^[4-12].

In an ordinary lake or pond, water heated by the sun's rays rises

and transfers its heat to the surrounding environment. In 1948, Block proposed the use of a salinity gradient by dissolving salt in the bottom of the pond to weigh down the lower layer and trap it at the bottom, thus inhibiting the phenomenon of convection. Therefore, the 25% of solar rays reaching the bottom remain at the bottom, isolated by the salt gradient^[2]. Thus, the SGSP, an artificial basin filled with brine whose concentration increases with depth, consists of three distinct thermal zones: a non-convective zone (NCZ) characterized by strong temperature and salinity gradients separating two convective zones, upper (UCZ) and lower (LCZ)^[13]. The UCZ is the surface layer that contains the least dense cold brine. The bottom LCZ, also known as the heat storage zone (HSZ), contains the densest hot brine (almost saturated) representing thermal energy to benefit from it for multiple applications^[14]. The temperature difference between these two zones can record 50–60 °C^[3]. The performance of the SGSP is only verified by the separation of these two zones, by adding salt to LCZ and fresh water to UCZ, i.e., by maintaining the density profile^[13,15].

2. Experimental and theoretical studies

The technology of artificial solar ponds was first mooted in 1954 on the Dead Sea. Australia then launched a solar pond project. In 1974, studies on innovative technology were launched at the Ohio State University, USA by Nielsen^[12]. Zangrando established methods for installing 10 to 10,000 m² solar ponds^[16]. Then, SGSPs were installed in different countries, such as India, Canada, Turkey, etc.^[12].

Experimental and theoretical studies have been launched to understand the thermal behavior of SGSPs, under different operating conditions. Experimental investigations analyzed the SGSP thermal behavior^[13,17–24]. Thus, many researches have been conducted studies with small scale, for better control^[14,25–27]. These investigations make it possible to highlight the differences in performance between small-scale and large-scale SGSPs in order to predict performance in real conditions^[28]. Apparently simple, SGSPs operate under a number of complicated physical phenomena. Many theoretical studies have evoked the phenomena of heat and salt diffusion to analyze the stability of solar ponds, and their performance, and predict the temperature variations^[12,18,29–35].

A key task in thermal performance modeling is to estimate the total incident solar radiation^[36]. The oldest model of radiation flux estimation, dating from 1964, fitted a curve for transmission data from the Dead Sea and was based on Schmidt's calculation, guiding a mathematical formulation of the behavior of an SGSP. Many physical processes important for the stability of the NCZ (absorption of solar radiation by the brine, losses towards the surroundings, effect of double diffusion) were identified and analyzed^[37]. This model was later followed by Dake and Harleman; and Akbarzadeh and Ahmadi^[38,39]. Few other investigations included the studies of Viskanta and Toor; Tsilingiris; Kanayama and Baba; Afeef and Mullet^[40–45].

2.1. Thermal behavior studies

Eliseev et al. presented finite difference solutions for the temperature distribution in 10–80 cm deep SGSPs while neglecting the UCZ^[46]. Four years later, Rabl and Nielsen divided the solar spectrum into 4 parts and also considered negligible UCZ with finite LCZ thickness^[47]. On the other hand, Bryant and Colbeck discussed the sunlight attenuation equation^[48] and Kooi theoretically treated the SGSP as a flat plate collector and studied its thermal characteristics^[49]. Later, Hull modeled the thermal performance of SGSP by dividing the spectrum into 40 parts^[18] while Sodha et al. divided it into 5 parts^[50].

In 1981, Kooi accounted for the reflectivity of the bottom of the pond, without the multiple bottom-surface reflections^[51], Hawlader and Brinkworth assumed that 40% of the 0.6 mm wavelength radiation was completely absorbed in the first 6 cm of the pond, analyzed the effect of varying the LCZ thickness on the maximum temperature and showed that the optimal values of the NCZ thickness range from 1 to 1.5 m^[52], and Bansal and Kaushik analyzed the SGSP as a steady-state flat plate solar energy collector and investigated the

optimization of its geometric and operational parameters^[53].

Hull estimated the incoming radiation flux and multiple bottom-surface reflections by universal functions^[54]. The Hull model was later used by Srinivasan and Guha and Sezai and Taşdemiroğlu^[55,56], then Husain et al. estimated the radiation flux by 2 simple formulations reducing the computation time by 10 to 12 times compared to the Hull model^[36]. Also in 1982, Lewis et al. used Mach-Zehnder interferometry to understand the physical mechanisms of an SGSP environment^[57], and Isaac and Gupta discussed the effect of varying design, operational, and geo-climatic parameters on the SGSP steady state temperatures^[58]. Wang and Akbarzadeh suggested that ground temperature beyond 5 m below the SGSP is equal to the annual mean ambient temperature and underground conditions have a strong influence on the SGSP thermal performance^[59,60].

In 1984, an implicit finite difference model to solve the equations relating solar radiation input, diffusion, dispersion, and withdrawal of heat within the pond was used^[37]. In parallel, Cengel and Ozisik developed an empirical formulation considering multiple reflections^[61]. One year later, Beniwal et al. studied the heat losses of an insulated and non-insulated cylindrical flat-bottomed SGSP^[62].

Ali presented a mathematical model of SGSP performance using a lumped parameter model of the three pond zones^[63]. Ho-Ming et al. simplified the equations of the LCZ time-temperature variations^[64]. Then, Ali showed that the SGSP temperature could reach the boiling point, in hot climate regions^[65] and Muñoz et al. showed that the SGSP thermal behavior strongly depends on its layers thicknesses, in particular the NCZ^[66]. Later, Al-Nimr presented closed-form expressions for the useful heat extraction rate and for the SGSP efficiency^[67] and Al-Jamal and Khashan showed that thermal efficiency depends on the layer thicknesses and the heat extracted^[68].

Tahat et al. studied the performance of a mini portable solar pond^[69], Jaefarzadeh studied the thermal behavior of a small solar pond and reported an energy efficiency of 10%^[23], Ramadan et al. studied the thermal performance of a shallow solar pond under an open-cycle mode of heat extraction^[24], then Andrews and Akbarzadeh developed new relationships for heat extraction from the NCZ^[70].

In 2006, Karakilcik et al. showed that the sunny area and LCZ temperature are very sensitive to wall shading and that the LCZ efficiency increases when the reflection, the areas shading in the NCZ and LCZ, and the bottom, sidewalls, and UCZ heat losses decrease^[71]. Then in a second study, investigated the temperature distributions in an isolated SGSP, during day and night^[2]. Moreover, Karakilcik and Dincer studied the exergy performance of a 4 m² SGSP^[72]. Then applications rolled on, so Sakhrieh and Al-Salaymeh studied the temperature distribution in a Jordanian-isolated SGSP and recorded a 47 °C LCZ temperature^[73], and Bernard et al. modeled the performance of a pilot solar pond plant in Martorell, Spain, and a future pre-industrial SGSP in Granada, Spain^[74].

In 2013, Date et al. compared the transient thermal performance of an SGSP with NCZ heat extraction alone, LCZ heat extraction alone, and combined LCZ and NCZ heat extraction^[75], Karakilcik et al. studied SGSP performance with and without shading effect^[76], and Dehghan et al. investigated the energy and exergy performance of two 3 m² prototype solar ponds, built in Bafgh, Iran, with square and circular cross-sections and demonstrated that the circular solar pond has superior thermal performance^[77]. Bozkurt and Karakilcik studied the effect of sunny area ratios on the SGSP thermal efficiency^[78]. Liu et al. showed that the temperature of a mini SGSP increases with time roughly from its sunk day, and it will be stable in about 30 days^[79].

In 2016, Sayer et al. presented a model to calculate the temperature in the three zones of an SGSP in Kuwait which reached around 90 °C in July^[80]. On the other hand, Monjezi and Campbell developed a transient model to predict brine temperature in any layer on an hourly basis, from the start of operation^[81], and Alcaraz et al. defined energy efficiency as the ratio of the instantaneous energy change of the LCZ to the total amount of solar energy penetrating the pond surface during a defined period. It was dimensionally incorrect^[82]. Then

Aramesh et al. developed a model to predict the thermal behavior of a rectangular solar pond during the heat extraction process with less than 3% uncertainty^[83], Njoku et al. studied the energy and exergy performance of an SGSP by incorporating the thermal extraction of the LCZ^[84], Khalilian developed a model to analyze transient energy behavior in each pond area, incorporating many processes that affect performance^[85], and Torkmahalleh et al. examined the performance of a small-scale circular SGSP built and operated at the Middle East Technical University, Cyprus^[86]. Later, Khalilian et al. analyzed energetically and exergically the SGSP transient thermal performance under different heat extraction modes^[87], and Amigo et al. showed that when the water table below the pond is deep, the soil acts as an additional heat storage volume^[88].

Alcaraz et al. exposed a 500 m² industrial solar pond in Granada, Spain to a snowfall, and showed that the LCZ temperature remained constant, the salinity gradient and the LCZ were not affected, and the weekly efficiency reached 10%^[89]. Anagnostopoulos et al. developed a model to assess the heat loss to the environment, the irradiance absorbed by the pond, and the yearly thermal performance^[90].

2.2. Stability and double-diffusivity studies

Many researchers have studied SGSP stability, such as Zangrando, Huppert and Moore and Leshuk et al., who reported the stability of a potassium nitrate SGSP under a solar simulator^[16,91,92].

Meyer et al. predicted the behavior of the interface between convective and non-convective zones^[29,93]. Panahi et al. simulated the SGSP dynamic performance, using a finite element technique^[94]. Akbarzadeh showed that sloping walls increase the concentration gradient at the NCZ bottom and decrease it at the top. However, this effect is weak in large ponds^[95].

In 1985, Zangrando and Bertram showed that NCZ perturbations can lead to oscillations, i.e., to local mixing, and they specified a stability condition to prevent these oscillations^[96]. Later, Akbarzadeh and Manins and Akbarzadeh studied at the laboratory scale the instabilities induced by sunlight absorption on the sun-facing wall^[97,98]. Hull et al. introduced two models to explain the Nielsen equilibrium condition: Hull and Mehta micro-convection model and Witte thermal burst model^[99]. Furthermore, Al-Jamal and Khashan developed a mathematical model to determine the various parameters affecting the performance of an SGSP under Irbid, Jordan meteorological conditions^[100], then Giestas et al. studied the linear stability of the NCZ considered as a confined layer or an infinite extensive layer^[101,102].

Jayaprakash and Perumal compared the density profile of an unstained SGSP with a 1D model^[103]. Two years later, Kurt et al. modeled the NCZ as a series of flat layers, and the UCZ and LCZ as a single, homogeneous layer of fixed thickness^[12]. Abdeljabbar and Safi studied the growth mechanisms of the lower mixed layer^[104]. Jubran et al. studied the effects of wall inclination angle and salt concentration on convective layers^[105].

In 2005, Angeli and Leonardi introduced the thermodiffusion effect into the salt diffusion equation and solved numerically the 1D mathematical model^[13]. One year later, Angeli et al. studied salt diffusion and heat extraction in solar ponds^[106], Rebai et al. studied the linear stability of a 2D thermo-solutal system in the NCZ^[107] and Mansour et al. studied the problem of transient heat and mass transfer and the long-term stability of an SGSP^[108]. Then, Hammami et al. studied the transient natural convection in an enclosure^[109]. Later, Giestas et al. developed a 2D model for SGSPs using Hammami et al. equations^[110].

Suárez et al. represented the short- and medium-term functioning of the SGSP^[111]. Choubani et al. analyzed transparent tank convection and specified the cause for which SGSPs had only 10-15 years of work and proposed the use of a grid on the NCZ boundary^[112].

Wang et al. used Giestas et al. formulation for linear and nonlinear stability studies^[113]. In 2012, Boudhiaf et al. revealed that the buoyancy ratio is important in reducing the UCZ temperature and maintaining the LCZ

temperature^[114], Busquets et al. found that mass diffusion and convection in the LCZ accelerate the NCZ^[115] and Husain et al. investigated the inclusion of an additional 50 mm salt-gradient zone between the NCZ and UCZ^[116].

In 2014, Giestas et al. developed a comprehensive numerical model to simulate the SGSP dynamics^[117], Boudhiaf and Baccar analyzed the complex velocity, temperature, and concentration distributions of the transient flow structure^[118] and Suárez et al. compared temperature sensing observations from a small-scale SGSP experiment to numerical simulations of a full-scale SGSP^[28]. El-Mansouri et al. developed a 2D numerical model to simulate a small-scale SGSP, which combines different physical phenomena^[119]. Sayer et al. estimated the evolution of the convective zone concentrations over time in ponds with vertical and inclined walls, and of different volumes^[120]. Furthermore, Sleiman et al. presented a simple 1D approach to the concentration distribution of NaCl in an SGSP^[121].

In order to maintain stable, long-term operation of an SGSP, it may be essential to suppress interface erosion. Thus, Tian et al. developed a 2D transient model using an external magnetic field to suppress the intense convection region, then improve its stability, delay the concentration homogenization, and improve the LCZ heat storage performance^[122].

In the open literature, the circulation of heat was treated in a vertical direction only. For this, the modeling of SGSPs was one-dimensional in most investigations except for a few studies that dealt with the behavior of the SGSP in 2D and 3D^[123–125].

By comparing the literature, we see that: (i) the SGSP performance is profoundly affected by the LCZ temperature which increases with depth; unlike the amplitude of temperature fluctuations due to climate changes, which decreases with depth, since the SGSP is characterized by a large thermal storage capacity; (ii) to minimize these fluctuations, the LCZ thickness should be increased, leading to an intact temperature and salinity gradient regardless of climatic variations; (iii) a UCZ a few centimeters thick increases the amount of solar energy reaching the LCZ; (iv) the reduction of heat losses from the various walls of the pond and superficial zone, in particular by evaporation of the latter, increases the LCZ efficiency; (v) an increase in the perimeter of the pond will also increase its effectiveness; (vi) convective mixing has a strong impact on the SGSP stability, so it must be managed to maintain pond stability and isolate the NCZ; (vii) SGSP lifetime depends on the behavior of the gradient zone in which instabilities occur and lead to destroyed linearity thus leading to a mixed layer; (viii) NCZ thickness reduces upward heat loss; (ix) NCZ erosion is accelerated by mass diffusion and convection in the LCZ.

3. Operation, management and performance enhancement studies

3.1. Salt criteria and establishment

Akbarzadeh and Macdonald proposed a protection system based on the natural circulation of water by density difference^[126]. Kanayama et al. and Kho et al. analyzed the performance of sodium chloride SGSP^[127,128]. Subhakar and Murthy studied the magnesium chloride and potassium nitrate SGSPs^[129–131]. Banat et al. predicted the temperature and concentration profiles of a carnallite SGSP^[132]. Pawar and Chapgaon compared two 1 m² urea SGSPs to NaCl and MgCl₂ ponds^[25]. Alagao simulated a closed-cycle SGSP through three salt recycling modes^[133]. Murthy and Pandey showed that muriate of potash, a potassium fertilizer, can generate energy more cheaply than urea^[133,134]. Ouni et al. reported that a successful SGSP operation relies on the NCZ maintenance, surface washing, and salt-stratification initial design^[35]. Murthy and Pandey compared KCl, NaCl, and unsalted solar ponds^[135]. Angeli and Leonardi simulated the transient behavior of SGSP with brine injection and analyzed the development of instability^[37]. Agha et al. discussed the daily variations of brine concentration in the experimental Tajoura SGSP and those based on different designs under different

scenarios^[136]. Kurt et al. investigated the feasibility of sodium carbonate to suppress global convection inside a small-scale laboratory pond^[27]. Valderrama et al. designed a diffuser to establish the salinity gradient, which increase the flow rate and completes the injection process with a recalculated Froude number of 11^[137]. Bozkurt et al. analyzed an experimental 0.72 m² magnesium chloride SGSP^[138]. Berkani et al. compared the thermal behavior of 3 different salts (NaCl, Na₂CO₃, and CaCl₂) identical small SGSPs^[1].

3.2. Turbidity and bottom reflectivity

Wang and Seyed-Yagoobi studied the water turbidity effect on the SGSP thermal performance^[139]. Gasulla et al. and Malik et al. studied the maintenance of brine clarity in an SGSP^[140,141]. Atiz et al. investigated the effect of turbidity on the SGSP exergy performance^[142].

3.3. Erosion effect and liners

Li et al. examined the erosion phenomenon on the NCZ of a small-scale SGSP, under a solar simulator incident radiation^[143,144]. Silva and Almanza analyzed the physical, chemical, and hydraulic properties of different soils as compacted clay liners^[145].

3.4. Wind mixing and evaporation effects

Atkinson and Harleman developed a 1D mixed wind model for large-scale SGSPs and showed that wind effects can be managed by floating grids^[30]. Jaefarzadeh and Akbarzadeh found that floating rings and continuous surface flushing can maintain a thin UCZ, introduced the salt charger as a salt replenishment system, and described the brine shrimp method to improve transparency^[146]. Bézir et al. used 2 collapsible covers to reduce heat energy losses from the surface of an experimental 3.5 × 3.5 m² SGSP^[147]. Ruskowitz et al. studied the suppression of evaporative losses with a continuous transparent cover and two transparent floating elements (discs and hemispheres)^[148].

3.5. Geographical and meteorological conditions

Hawlder compared the performance of different latitudes operating SGSPs, and showed that at higher latitudes (significant seasonal variations); SGSP must be deeper than a pond operating near the equator so it acts as an inter-seasonal storage device^[149].

3.6. Heat extraction

Sabetta et al. proposed an in-pond heat exchanger made of reinforced polyethylene pipe^[150]. Jaefarzadeh studied heat extraction from a 4 m² SGSP, using in-pond heat exchangers with water as the working fluid^[151]. Dah et al. evaluated a new method of heat extraction from the NCZ that improves the efficiency of a 0.64 m² SGSP^[152]. Tundee et al. modeled SGSP heat extraction via thermosyphons^[3]. Leblanc et al. introduced heat extraction from the NCZ of a small-scale solar pond and observed a 55% increase in efficiency compared to heat extraction from the LCZ^[153]. Singh et al. showed that the combination of thermosiphon and thermoelectric cells allows the realization of a fully passive and simple power system^[154]. Abdullah et al. designed a heat extraction system from a 113 m² solar pond at Umm Al-Qura University, Saudi Arabia, demonstrating the technical viability of SGSPs in the Middle East^[155,156]. Ziapour et al. simulated a large-scale SGSP power plant using closed two-phase thermosyphons^[157]. Ziapour et al. simulated an SGSP system combined with a thermoelectric generator, instead of an ORC condenser^[158]. Khodabandeh et al. investigated the water graphene nanoplatelet/platinum hybrid nanofluid efficiency in a horizontal spiral tube with 4 cross-sections used at the bottom of SGSP^[159]. Verma et al. found that extracting heat from the ground has significant effects on SGSP stability, entropy production, and NCZ thickness^[160].

After presenting these studies, we can summarize that: (i) a successful SGSP requires a good first design of the establishment of the salt gradient to avoid instabilities, surface flushing and temperature maintenance of

the LCZ via brine injection at the bottom of the pond and heat extraction; (ii) water turbidity, caused by the growth of algal and microbial populations, dust, impurities, etc., has a crucial impact on the thermal performance of the SGSP, as it decreases the amount of solar radiation that reaches the bottom of the pond. Various treatments can improve water clarity, such as chemical treatments - with a well-maintained pH (4.5) to prevent corrosion and, with the aim of maintaining low turbidity - and the introduction of brine shrimp; (iii) clay soils are a well-cost option for SGSP liner; (iv) non-opaque floating rings and continuous covers reduce surface evaporation, as well as surface flushing; (v) two proven methods of extracting heat from the LCZ: Hot brine circulates through an external heat exchanger and heat transfer fluid circulates through an in-pond heat exchanger. Heat extraction from the NCZ also increases the overall energy efficiency of the SGSP. Heat extraction from NCZ and LCZ can also be effective.

3.7. Performance and efficiency

Various methods have been presented by many other researchers, such as Ibrahim and El-Reidy, Arulanantham et al., El-Sebaii, Tundee et al., Bozkurt and Karakilcik to increase the temperature of the storage zone^[161–165].

Jubran et al. investigated the effects of using a solar augmentation system on carnalite SGSPs^[166]. Rivera et al. used single-stage and advanced absorption heat transformers to increase the temperature of heat obtained from solar ponds^[167]. Aboul-Einein et al. used an external reflector to reflect additional solar radiation in the pond^[168]. Akbarzadeh et al. examined the combination of a chimney with an SGSP^[169]. Bozkurt and Karakilcik proposed the integration of a solar pond with flat solar collectors^[170]. Al-Nimr and Al-Dafaie used nanofluids to improve the SGSP thermal efficiency and storage capacity^[171]. Wang et al. increased the LCZ temperature by adding coal cinder to its bottom^[172]. Wang et al. used the cheap porous medium material of slag (coal combustion residues in the boiler) at the bottom of a small-scale SGSP^[173]. Assari et al. have also investigated porous-medium solar ponds as a way to improve thermal performance^[174,175]. Ganguly et al. limited the SGSP heat loss by using a flow controller with a temperature sensor^[176]. Ganguly et al. transferred solar heat collected by evacuated tube solar collectors to the LCZ by circulating fluid from the LCZ, to improve its thermal performance^[177]. Ganguly et al. suggested increasing the LCZ depth to increase thermal mass^[178]. Ali et al. showed that the combination of photovoltaic/thermal collectors with an SGSP leads to an increase in thermal efficiency^[179].

Simic and George reported remote data acquisition (DAQ) and then control of solar pond power generation. The SGSP control center could be located anywhere, while the pond sites are selected at the best solar locations^[180].

4. Economic studies

Edesses et al. stated that SGSP is an economical device for generating low temperature thermal energy. Its design depends on the site and the application. However, its total initial investment is strongly linked to the local availability and price of salt, since it takes between half and several tons of salt per square meter of SGSP. Subsequently, an NaCl pond may require 30–60% of that investment for the initial NaCl charge. Additionally, the economics of SGSPs include excavation and blackened coating costs^[181].

Many studies also dealt with the SGSP economic aspect in different applications: Szacsvey et al. presented technical and economic aspects of small-scale solar-pond-powered seawater desalination system^[182]. Agha analyzed the economics of a solar pond coupled low temperature multi stage desalination plant^[183]. Parsa et al. conducted an economic analysis of an SGSP integrated with a low-temperature multi effect desalination^[184]. Cao et al. conducted a thermo-economic evaluation of a combined Kalina cycle and humidification-dehumidification desalination system integrated with SGSP^[185].

An SGSP can provide industrial heat at a cost competitive with natural gas or coal. This was the case for a 23,240 m² SGSP, designed to preheat water used for washing copper cathodes in Sierra Gorda, Chile^[186]. While the use of heat from SGSP in power generation is economically less satisfactory, because the cost of organic Rankine cycle production equipment is relatively high^[187]. This economy can be improved by the design of large-scale SGSPs (more than 100,000 m²).

5. Applications

5.1. Desalination

Many researchers have studied the use of SGSPs for water desalination, such as Garman and Muntasser, Agha, Liu et al., Rahaoui et al.^[183,188–190].

The University of Texas at El Paso studied SGSP technology from 1983 to 2003, and the El Paso Solar Pond was a long research, development, and demonstration project that improved the feasibility of SGSPs^[115]. Since 1987, the project has focused on thermal desalination^[191].

Saleh et al. studied an SGSP coupled to a Jordanian desalination plant^[191]. Salata and Coppi demonstrated the possibility of producing desalinated water by taking advantage of solar energy stored in solar ponds and absorption heat transformer technology^[192]. Suárez et al. and Nakoa et al. presented a coupled direct contact membrane distillation (DCMD)/SGSP system, for freshwater production and reducing the environmental footprint of brine^[193–195].

5.2. Space/greenhouse heating and air conditioning

Rabl and Nielsen studied the use of SGSPs for space heating^[47]. Shah et al. used an SGSP to provide heat to a greenhouse^[196]. Brown and Cambel analyzed the energy of 3 different residential solar pond scenarios: a detached house, a 20-house complex, and a community system with district heating, in Ohio and Massachusetts^[197]. Tsilingiris studied SGSP coupling to an absorption chiller^[198,199]. Badran et al. studied an SGSP greenhouse heating system under Jordanian climatic conditions^[22,200]. Jabri and Rasheed investigated the ability of SGSP to provide space heating for residential buildings^[201]. Badran and Hamdan studied an under-floor heating system using solar collectors and solar ponds^[202]. Kanan et al. showed that a 400 m² SGSP can provide cooling for a 125 m² house in Baghdad, Iraq^[203]. Salata et al. and Saleh also applied SGSP stored energy for conditioning, via absorption chillers^[204,205].

5.3. Salt production

In China, SGSP technology has been applied in aquaculture, Glauber's salt production, and lithium carbonate production from Zabuye salt lake. Nie et al. studied a natural brine solar pond in Tibet and showed that SGSPs can be used to produce minerals^[206].

5.4. Power generation

Electricity generation satisfying an energy-efficient household electricity demand (2–5 kWh/day), from a few hundred square meters SGSP, has been demonstrated since 1984^[154]. The current total has been estimated at 160 GW^[116]. Haj Khalil et al. analyzed a Rankine cycle using an environmentally friendly working fluid (refrigerant 134a) for electricity generation in Jordan^[207]. Singh et al. and Ding et al. showed the possibility for thermoelectric generators (TEGs) to generate electricity via the stored heat of SGSPs^[208–210]. Ding et al. explored the capability of SGSP in power generation, using a plate-type power generating unit (PTPGU)^[211]. Kumar et al. proposed an inverse optimization method to predict different dimensions of SGSP zones feeding a thermoelectric generator^[212].

5.5. Industrial process heating

Kumar and Kishore built a 6000 m² SGSP for an Indian dairy to provide process heat^[213]. Andrews and Akbarzadeh also investigated the use of SGSP for industrial process heating^[214]. Garrido and Vergara designed a 23,240 m² SGSP for preheating water used in washing copper cathodes in a mining operation in Sierra Gorda^[186]. Zhang et al. tested a solar pond and an AD reactor system for the digestion of activated sludge waste^[215]. Karakilcik et al. examined the hydrogen production performance of a reactor assisted by a solar pond^[216].

6. Conclusion

In this paper, we presented a detailed review of the various stages that solar pond technology went through, starting with its discovery naturally, to its re-enactment in artificial ponds. In a sequential and detailed manner, we mentioned the various studies that dealt with their thermal behavior and stability, then studies that focused on their operation, management, performance enhancement, and economic savings, and later, their famous applications. Thus, this paper aims to highlight various studies related to solar ponds in an attempt to stimulate research into the hidden or neglected aspects of this technology and to work on developing and benefiting from them in light of the accumulated environmental crises and the effectiveness of SGSPs at this level. Further research should focus on methods to extend lifetime of SGSPs, develop the idea of operating ponds remotely, and improve their economic outputs.

Conflict of interest

The authors declare no conflict of interest.

References

1. Berkani M, Sissaoui H, Abdelli A, et al. Comparison of three solar ponds with different salts through bi-dimensional modeling. *Solar Energy* 2015;116: 56–68. doi: 10.1016/j.solener.2015.03.024
2. Karakilcik M, Kıymaç K, Dincer I. Experimental and theoretical temperature distributions in a solar pond. *International Journal of Heat and Mass Transfer* 2006; 49(5–6): 825–835. doi: 10.1016/j.ijheatmasstransfer.2005.09.026
3. Tundee S, Terdtoon P, Sakulchangsattajai P, et al. Heat extraction from salinity-gradient solar ponds using heat pipe heat exchangers. *Solar Energy* 2010; 84(9): 1706–1716. doi: 10.1016/j.solener.2010.04.010
4. Kalecsinsky AV. About the hungarian warm and hot salt lakes as natural heat accumulators, and about the production of warm salt lakes and heat accumulators (German). *Annalen der Physik* 1902; 312(2): 408–416. doi: 10.1002/andp.19023120212
5. Anderson GC. Limnology of Shallow Saline Mermomistic Lake. *Limnology and Oceanography* 1958; 3(3): 259–269. doi: 10.4319/lo.1958.3.3.0259
6. Wilson AT, Wellman HW. Lake vanda: An antarctic lake: Lake vanda as a solar energy trap. *Nature* 1962; 196(4860): 1171–1173. doi: 10.1038/1961171a0
7. Hoare RA. Problems of heat transfer in lake vanda, a density stratified antarctic lake. *Nature* 1966; 210: 787–786. <https://doi.org/10.1038/210787a0>
8. Por FD. Solar lake on the shore of the red-sea. *Nature* 1968; 218: 860–861. doi: 10.1038/218860a0
9. Melack JM, Kilham P. Lake mehage: A mesotrophic sulfacto-chloride lake in western Uganda. *African Journal of Tropical Hydrobiology and Fisheries* 1972; 2: 141.
10. Hudec PP, Sonnenfeld P. Hot brine on Los Roques, Venezuela. *Science* 1974; 185(4149): 440–442. doi:10.1126/science.185.4149.440
11. Taşdemiroğlu E. Salt availability in Turkey and its potential use in solar ponds. *Resources and Conservation* 1987; 15(3): 215–228. doi: 10.1016/0166-3097(87)90004-6
12. Kurt H, Halici F, Binark AK. Solar pond conception—Experimental and theoretical studies. *Energy Conversion and Management* 2000; 41(9): 939–951. doi: 10.1016/S0196-8904(99)00147-8
13. Angeli C, Leonardi E. The effect of thermodiffusion on the stability of a salinity gradient solar pond. *International Journal of Heat and Mass Transfer* 2005; 48(21–22): 4633–4639. doi: 10.1016/j.ijheatmasstransfer.2005.05.021
14. Suárez F, Childress AE, Tyler SW. Temperature evolution of an experimental salt-gradient solar pond. *Journal of Water and Climate Change* 2010; 1(4): 246–250. doi: 10.2166/wcc.2010.101
15. Hanjalić K, Musemić R. Modeling the dynamics of double-diffusive scalar fields at various stability conditions.

- International Journal of Heat and Fluid Flow* 1997; 18(4): 360–367. doi: 10.1016/S0142-727X(97)00018-0
16. Zangrando F. A simple method to establish salt gradient solar ponds. *Solar Energy* 1980; 25(5): 467–470. doi: 10.1016/0038-092X(80)90456-9
 17. Hawlader MNA. The influence of the extinction coefficient on the effectiveness of solar ponds. *Solar Energy* 1980; 25: 461–464. doi: 10.1016/0038-092X(80)90454-5
 18. Hull JR. Method and Means of Preventing Heat Convection in a Solar Pond. U.S. Patent 4,241,724A, 30 December 1980.
 19. Beniwal RS, Singh R, Saxena NS, Bhandari RC. Thermal behaviour of salt gradient solar ponds. *Journal of Physics D: Applied Physics* 1987; 20(8): 1067–1071. doi: 10.1088/0022-3727/20/8/014
 20. Newell TA, Cowie RG, Upper JM, et al. Construction and operation activities at the university of Illinois salt gradient solar pond. *Solar Energy* 1990; 45: 231–239. doi: 10.1016/0038-092X(90)90091-P
 21. Alagao FB, Akbarzadeh A, Johnson PW. The Design, Construction, and initial operation of a closed-cycle, salt-gradient solar pond. *Solar Energy* 1994; 53(4): 343–351. doi: 10.1016/0038-092X(94)90037-X
 22. Badran AA, Jubran BA, Qasem EM, Hamdan MA. Numerical model for the behavior of a salt-gradient solar-pond greenhouse-heating system. *Applied Energy* 1997; 58(1): 57–72. doi: 10.1016/S0306-2619(97)00034-2
 23. Jaefarzadeh MR. Thermal behavior of a small salinity-gradient solar pond with wall shading effect. *Solar Energy* 2004; 77(3): 281–290. doi: 10.1016/j.solener.2004.05.013
 24. Ramadan MRI, El-Sebaï AA, Aboul-Enein S, Khallaf AM. Experimental testing of a shallow solar pond with continuous heat extraction. *Energy and Buildings* 2004; 36(9): 955–964. doi: 10.1016/j.enbuild.2004.03.002
 25. Pawar SH, Chapgaon AN. Fertilizer solar ponds as a clean source of energy: Some observations from small scale experiments. *Solar Energy* 1995; 55(6): 537–542. doi: 10.1016/0038-092X(95)00096-A
 26. Dah MMO, Ouni M, Guizani A, Belghith A. Study of temperature and salinity profiles development of solar pond in laboratory. *Desalination* 2005; 183(1–3): 179–185. doi: 10.1016/j.desal.2005.03.034
 27. Kurt H, Ozkaymak M, Binark AK. Experimental and numerical analysis of sodium-carbonate salt gradient solar-pond performance under simulated solar-radiation. *Applied Energy* 2006; 83(4): 324–342. doi: 10.1016/j.apenergy.2005.03.001
 28. Suárez F, Ruskowitz JA, Childress AE, Tyler SW. Understanding the expected performance of large-scale solar ponds from laboratory-scale observations and numerical modeling. *Applied Energy* 2014; 117: 1–10. doi: 10.1016/j.apenergy.2013.12.005
 29. Meyer KA. A numerical model to describe the layer behavior in salt-gradient solar ponds. *Journal of Solar Energy Engineering* 1983; 105(4): 341–347. doi: 10.1115/1.3266389
 30. Atkinson JF, Harleman DRF. A wind-mixed layer model for solar ponds. *Solar Energy* 1983; 31(3): 243–259. doi: 10.1016/0038-092X(83)90012-9
 31. Kaushik ND, Sharma MS. Numerical model of a solar pond. *Energy Conversion and Management* 1985; 25(4): 459–461. doi: 10.1016/0196-8904(85)90010-X
 32. Saleh A. Modeling and performance analysis of a solar pond integrated with an absorption cooling system. *Energies* 2022; 15(22): 8327. doi: 10.3390/en15228327
 33. El-Refae MM, Al-Marafie AM. Numerical simulation of the performance of the kuwait experimental salt-gradient solar pond (KESGSP). *Energy Sources* 1993; 15(1): 145–158. doi: 10.1080/00908319308909020
 34. Kayali R, Bozdemir S, Kiyimac K. A rectangular solar pond model incorporating empirical functions for air and soil temperatures. *Solar Energy* 1998; 63(6): 345–353. doi: 10.1016/S0038-092X(98)00104-2
 35. Ouni M, Guizani A, Lu H, Belghith A. Simulation of the control of a salt gradient solar pond in the south of Tunisia. *Solar Energy* 2003; 75(2): 95–101. doi: 10.1016/j.solener.2003.07.011
 36. Husain M, Patil SR, Patil PS, Samdarshi SK. Simple methods for estimation of radiation flux in solar ponds. *Energy Conversion and Management* 2004; 45(2): 303–314. doi: 10.1016/S0196-8904(03)00122-5
 37. Angeli C, Leonardi E. A one-dimensional numerical study of the salt diffusion in a salinity-gradient solar pond. *International Journal of Heat and Mass Transfer* 2004; 47(1): 1–10. doi: 10.1016/S0017-9310(03)00410-1
 38. Dake JMK, Harleman DRF. Thermal stratification in lakes: Analytical and laboratory studies. *Water Resources Research* 1969; 5(2): 484–495. doi: 10.1029/wr005i002p00484
 39. Akbarzadeh A, Ahmadi G. Computer simulation of the performance of a solar pond in the southern part of Iran. *Solar Energy* 1980; 24(2): 143–151. doi: 10.1016/0038-092X(80)90388-6
 40. Viskanta R, Toor JS. Radiant energy transfer in waters. *Water Resources Research* 1972; 8(3): 595–608. doi: 10.1029/wr008i003p00595
 41. Viskanta R, Toor JS. Effect of multiple scattering on radiant energy transfer in waters. *Journal of Geophysical Research* 1973; 78(18): 3538–3551. doi: 10.1029/jc078i018p03538
 42. Viskanta R, Toor JS. Absorption of solar radiation in ponds. *Solar Energy* 1978; 21(1): 17–25. doi: 10.1016/0038-092X(78)90112-3
 43. Tsilingiris PT. An accurate upper estimate for the transmission of solar radiation in salt gradient ponds. *Solar Energy* 1988; 40(1): 41–48. doi: 10.1016/0038-092X(88)90070-9
 44. Kanayama K, Baba H. Transmittance of distilled water and sodium-chloride-water solutions. *Journal of Solar Energy Engineering* 1988; 110(2): 113–119. doi: 10.1115/1.3268240

45. Afeef M, Mullett LB. Solar transmission in salt solutions with reference to solar ponds. *Solar & Wind Technology* 1989; 6(1): 1–9. doi: 10.1016/0741-983X(89)90032-5
46. Eliseev VN, Usmanov YU, Teslenko LN. Theoretical investigation of the thermal regime of a solar pond. *Applied Solar Energy* 1971; 7(4).
47. Rabl A, Nielsen CE. Solar ponds for space heating. *Solar Energy* 1975; 17(1): 1–12. doi: 10.1016/0038-092X(75)90011-0
48. Bryant HC, Colbeck I. A solar pond for London? *Solar Energy* 1977; 19(3): 321–322.
49. Kooi CF. The steady state salt gradient solar pond. *Solar Energy* 1979; 23(1): 37–45. doi: 10.1016/0038-092X(79)90041-0
50. Sodha MS, Kaushik ND, Rao SK. Thermal analysis of three zone solar pond. *International Journal of Energy Research* 1981; 5(4): 321–340. doi: 10.1002/er.4440050404
51. Kooi CF. Salt gradient solar pond with reflective bottom: Application to the “saturated” pond. *Solar Energy* 1981; 26(2): 113–120. doi: 10.1016/0038-092X(81)90073-6
52. Hawlader MNA, Brinkworth BJ. An analysis of the non-convecting solar pond. *Solar Energy* 1981; 27(3): 195–204. doi: 10.1016/0038-092X(81)90121-3
53. Bansal PK, Kaushik ND. Salt gradient stabilized solar pond collector. *Energy Conversion and Management* 1981; 21(1): 81–95. doi: 10.1016/0196-8904(81)90010-8
54. Hull JR. Calculation of solar pond thermal efficiency with a diffusely reflecting bottom. *Solar Energy* 1982; 29(5): 385–389. doi: 10.1016/0038-092X(82)90074-3
55. Srinivasan J, Guha A. The effect of bottom reflectivity on the performance of a solar pond. *Solar Energy* 1987; 39(4): 361–367. doi: 10.1016/S0038-092X(87)80022-1
56. Sezai I, Taşdemiroğlu E. Effect of bottom reflectivity on ground heat losses for solar ponds. *Solar Energy* 1995; 55(4): 311–319. doi: 10.1016/0038-092X(95)00054-U
57. Lewis WT, Incropera FP, Viskanta R. Interferometric study of mixing layer development in a laboratory simulation of solar pond conditions. *Solar Energy* 1982; 28(5): 389–401. doi: 10.1016/0038-092X(82)90257-2
58. Isaac RR, Gupta CL. A parametric design study of solar ponds. *Applied Energy* 1982; 11(1): 35–49. doi: 10.1016/0306-2619(82)90046-0
59. Wang YF, Akbarzadeh A. A study on the transient behavior of solar ponds. *Energy* 1982; 7(12): 1005–1017. doi: 10.1016/0360-5442(82)90084-6
60. Wang YF, Akbarzadeh A. A parametric study on solar ponds. *Solar Energy* 1983; 30(6): 555–562. doi: 10.1016/0038-092X(83)90067-1
61. Cengel YA, Özişik MN. Solar radiation absorption in solar ponds. *Solar Energy* 1984; 33(6): 581–591. doi: 10.1016/0038-092X(84)90014-8
62. Beniwal RS, Singh RV, Chaudhary DR. Heat losses from a salt-gradient solar pond. *Applied Energy* 1985; 19(4): 273–285. doi: 10.1016/0306-2619(85)90002-9
63. Ali HM. Mathematical modelling of salt gradient solar pond performance. *International Journal of Energy Research* 1986; 10(4): 377–384. doi: 10.1002/er.4440100408
64. Ho-Ming Y, Shau-Wei T, Wang-Tang H. Time-temperature variations in the storage zone of salt-gradient solar ponds. *Energy* 1987; 12(1): 25–31. doi: 10.1016/0360-5442(87)90016-8
65. Ali HM. Potential of solar ponds in hot climates. *Solar & Wind Technology* 1989; 6(2): 137–141. doi: 10.1016/0741-983X(89)90022-2
66. Muñoz F, Almanza R. A survey of solar pond developments. *Energy* 1992; 17(10): 927–938. doi: 10.1016/0360-5442(92)90041-W
67. Al-Nimr MA. Solar pond transient behavior—Analytical modeling. *International Journal of Solar Energy* 1998; 19(4): 275–290. doi: 10.1080/01425919808914342
68. Al-Jamal K, Khashan S. Effect of energy extraction on solar pond performance. *Energy Conversion and Management* 1998; 39(7): 559–566. doi: 10.1016/S0196-8904(97)00051-4
69. Tahat MA, Kodah ZH, Probert SD, Al-Tahaine H. Performance of a portable mini solar-pond. *Applied Energy* 2000; 66(4): 299–310. doi: 10.1016/S0306-2619(00)00021-0
70. Andrews J, Akbarzadeh A. Enhancing the thermal efficiency of solar ponds by extracting heat from the gradient layer. *Solar Energy* 2005; 78(6): 704–716. doi: 10.1016/j.solener.2004.09.012
71. Karakilcik M, Dincer I, Rosen MA. Performance investigation of a solar pond. *Applied Thermal Engineering* 2006; 26(7): 727–735. doi: 10.1016/j.applthermaleng.2005.09.003
72. Karakilcik M, Dincer I. Exergetic performance analysis of a solar pond. *International Journal of Thermal Sciences* 2008; 47(1): 93–102. doi: 10.1016/j.ijthermalsci.2007.01.012
73. Sakhrieh A, Al-Salaymeh A. Experimental and numerical investigations of salt gradient solar pond under Jordanian climate conditions. *Energy Conversion and Management* 2013; 65: 725–728. doi: 10.1016/j.enconman.2012.01.046
74. Bernad F, Casas S, Gibert O, et al. Salinity gradient solar pond: Validation and simulation model. *Solar Energy* 2013; 98: 366–374. doi: 10.1016/j.solener.2013.10.004
75. Date A, Yaakob Y, Date A, et al. Heat extraction from non-convective and lower convective zones of the solar

- pond: A transient study. *Solar Energy* 2013; 97: 517–528. doi: 10.1016/j.solener.2013.09.013
76. Karakilcik M, Dincer I, Bozkurt I, Atiz A. Performance assessment of a solar pond with and without shading effect. *Energy Conversion and Management* 2013; 65: 98–107. doi: 10.1016/j.enconman.2012.07.001
 77. Dehghan AA, Movahedi A, Mazidi M. Experimental investigation of energy and exergy performance of square and circular solar ponds. *Solar Energy* 2013; 97: 273–284. doi: 10.1016/j.solener.2013.08.013
 78. Bozkurt I, Karakilcik M. The effect of sunny area ratios on the thermal performance of solar ponds. *Energy Conversion and Management* 2015; 91: 323–332. doi: 10.1016/j.enconman.2014.12.023
 79. Liu H, Jiang L, Wu D, Sun W. Experiment and simulation study of a trapezoidal salt gradient solar pond. *Solar Energy* 2015; 122: 1225–1234. doi: 10.1016/j.solener.2015.09.006
 80. Sayer AH, Al-Hussaini H, Campbell AN. New theoretical modeling of heat transfer in solar ponds. *Solar Energy* 2016; 125: 207–218. doi: 10.1016/j.solener.2015.12.015
 81. Abbassi Monjezi A, Campbell AN. A comprehensive transient model for the prediction of the temperature distribution in a solar pond under mediterranean conditions. *Solar Energy* 2016; 135: 297–307. doi: 10.1016/j.solener.2016.06.011
 82. Alcaraz A, Valderrama C, Cortina JL, et al. Enhancing the efficiency of solar pond heat extraction by using both lateral and bottom heat exchangers. *Solar Energy* 2016; 134: 82–94. doi: 10.1016/j.solener.2016.04.025
 83. Aramesh M, Pourfayaz F, Kasaeian A. Transient heat extraction modeling method for a rectangular type salt gradient solar pond. *Energy Conversion and Management* 2017; 132: 316–326. doi: 10.1016/j.enconman.2016.11.036
 84. Njoku HO, Agashi BE, Onyegebu SO. A numerical study to predict the energy and exergy performances of a salinity gradient solar pond with thermal extraction. *Solar Energy* 2017; 157: 744–761. doi: 10.1016/j.solener.2017.08.079
 85. Khalilian M. Experimental investigation and theoretical modelling of heat transfer in circular solar ponds by lumped capacitance model. *Applied Thermal Engineering* 2017; 121: 737–749. doi: 10.1016/j.applthermaleng.2017.04.129
 86. Torkmahalleh MA, Askari M, Gorjinezhad S, et al. Key factors impacting performance of a salinity gradient solar pond exposed to Mediterranean climate. *Solar Energy* 2017; 142: 321–329. doi: 10.1016/j.solener.2016.12.037
 87. Khalilian M, Pourmokhtar H, Roshan A. Effect of heat extraction mode on the overall energy and exergy efficiencies of the solar ponds: A transient study. *Energy* 2018; 154: 27–37. doi: 10.1016/j.energy.2018.04.120
 88. Amigo J, Suárez F. Ground heat storage beneath salt-gradient solar ponds under constant heat demand. *Energy* 2018; 144: 657–668. doi: 10.1016/j.energy.2017.12.066
 89. Alcaraz A, Montalà M, Valderrama C, et al. Thermal performance of 500 m² salinity gradient solar pond in Granada, Spain under strong weather conditions. *Solar Energy* 2018; 171: 223–228. doi: 10.1016/j.solener.2018.06.072
 90. Anagnostopoulos A, Sebastia-Saez D, Campbell AN, Arellano-Garcia H. Finite element modelling of the thermal performance of salinity gradient solar ponds. *Energy* 2020; 203: 117861. doi: 10.1016/j.energy.2020.117861
 91. Huppert HE, Moore DR. Nonlinear double-diffusive convection. *Journal of Fluid Mechanics* 1976; 78(04): 821. doi: 10.1017/s0022112076002759
 92. Leshuk JP, Zaworski RJ, Styris DL, Harling OK. Solar pond stability experiments. *Solar Energy* 1976; 21(3): 237–244. doi: 10.1016/0038-092X(78)90027-0
 93. Meyer KA, Grimmer DP, Jones GF. Experimental and theoretical study of salt-gradient pond interface behavior. In: Proceedings of the 1982 American Section of the International Solar Energy Society Conference; 1 June 1982; Houston, TX, USA.
 94. Panahi Z, Batty JC, Riley JP. Numerical simulation of the performance of a salt-gradient solar pond. *Journal of Solar Energy Engineering* 1983; 105(4): 369–374. doi: 10.1115/1.3266393
 95. Akbarzadeh A. Effect of sloping walls on salt concentration profile in a solar pond. *Solar Energy* 1984; 33(2): 137–141. doi: 10.1016/0038-092X(84)90230-5
 96. Zangrando F, Bertram LA. The effect of variable stratification on linear doubly diffusive stability. *Journal of Fluid Mechanics* 1985; 151(1): 55–79. doi: 10.1017/s0022112085000866
 97. Akbarzadeh A, Manins P. Convective layers generated by side walls in solar ponds. *Solar Energy* 1988; 41(6): 521–529. doi: 10.1016/0038-092X(88)90055-2
 98. Akbarzadeh A. Convective layers generated by side walls in solar ponds: Observations. *Solar Energy* 1989; 43(1): 17–43. doi: 10.1016/0038-092X(89)90096-0
 99. Nielsen CE. Salinity-gradient solar ponds. In: Böer KW (editor). *Advances in Solar Energy*. Springer; 2012. Volume 4, pp. 445–498.
 100. Al-Jamal K, Khashan S. Parametric study of a solar pond for northern Jordan. *Energy* 1996; 21(10): 939–946. doi: 10.1016/0360-5442(96)00040-0
 101. Giestas M, Pina H, Joyce A. The influence of radiation absorption on solar pond stability. *International Journal of Heat and Mass Transfer* 1996; 39(18): 3873–3885. doi: 10.1016/0017-9310(96)00052-X
 102. Giestas M, Joyce A, Pina H. The influence of non-constant diffusivities on solar ponds stability. *International Journal of Heat and Mass Transfer* 1997; 40(18): 4379–4391. doi: 10.1016/S0017-9310(97)00050-1

103. Jayaprakash R, Perumal K. The stability of an unsustained salt gradient solar pond. *Renewable Energy* 1998; 13(4): 543–548. doi: 10.1016/S0960-1481(98)00016-0
104. Abdeljabar R, Safi MJ. Shear flow induced interface instability. *Experiments in Fluids* 2001; 31(1): 13–18. doi: 10.1007/s003480000253
105. Jubran BA, Al-Abdali H, Al-Hiddabi S, et al. Numerical modelling of convective layers in solar ponds. *Solar Energy* 2004; 77(3): 339–345. doi: 10.1016/j.solener.2004.04.004
106. Angeli C, Leonardi E, Maciocco L. A computational study of salt diffusion and heat extraction in solar pond plants. *Solar Energy* 2006; 80(11): 1498–1508. doi: 10.1016/j.solener.2005.10.015
107. Rebaï LK, Mojtabi AK, Safi MJ, Mohamad AA. A linear stability study of the gradient zone of a solar pond. *Journal of Solar Energy Engineering* 2005; 128(3): 383–393. doi: 10.1115/1.2210498
108. Mansour RB, Nguyen CT, Galanis N. Transient heat and mass transfer and long-term stability of a salt-gradient solar pond. *Mechanics Research Communications* 2006; 33(2): 233–249. doi: 10.1016/j.mechrescom.2005.06.005
109. Hammami M, Mseddi M, Baccar M. Transient natural convection in an enclosure with vertical solutal gradients. *Solar Energy* 2007; 81(4): 476–487. doi: 10.1016/j.solener.2006.08.004
110. Giestas MC, Pina HL, Milhazes JP, Tavares C. Solar pond modeling with density and viscosity dependent on temperature and salinity. *International Journal of Heat and Mass Transfer* 2009; 52(11–12): 2849–2857. doi: 10.1016/j.ijheatmasstransfer.2009.01.003
111. Suárez F, Tyler SW, Childress AE. A fully coupled, transient double-diffusive convective model for salt-gradient solar ponds. *International Journal of Heat and Mass Transfer* 2010; 53(9–10): 1718–1730. doi: 10.1016/j.ijheatmasstransfer.2010.01.017
112. Choubani K, Jomâa SM, Akbarzadeh A. A laboratory experimental study of mixing the solar pond gradient zone. *Solar Energy* 2011; 85(2): 404–417. doi: 10.1016/j.solener.2010.10.010
113. Wang H, Xie M, Sun W. Nonlinear dynamic behavior of non-convective zone in salt gradient solar pond. *Solar Energy* 2011; 85(9): 1745–1757. doi: 10.1016/j.solener.2011.04.034
114. Boudhiaf R, Moussa AB, Baccar M. A two-dimensional numerical study of hydrodynamic, heat and mass transfer and stability in a salt gradient solar pond. *Energies* 2012; 5(10): 3986–4007. doi: 10.3390/en5103986
115. Busquets E, Kumar V, Motta J, et al. Thermal analysis and measurement of a solar pond prototype to study the non-convective zone salt gradient stability. *Solar Energy* 2012; 86(5): 1366–1377. doi: 10.1016/j.solener.2012.01.029
116. Husain M, Sharma G, Samdarshi SK. Innovative design of non-convective zone of salt gradient solar pond for optimum thermal performance and stability. *Applied Energy* 2012; 93: 357–363. doi: 10.1016/j.apenergy.2011.12.042
117. Giestas MC, Milhazes JP, Pina HL. Numerical modeling of solar ponds. *Energy Procedia* 2014; 57: 2416–2425. doi: 10.1016/j.egypro.2014.10.250
118. Boudhiaf R, Baccar M. Transient hydrodynamic, heat and mass transfer in a salinity gradient solar pond: A numerical study. *Energy Conversion and Management* 2014; 79: 568–580. doi: 10.1016/j.enconman.2013.12.068
119. El Mansouri A, Hasnaoui M, Bennacer R, Amahmid A. Transient thermal performances of a salt gradient solar pond under semi-arid Moroccan climate using a 2D double-diffusive convection model. *Energy Conversion and Management* 2017; 151: 199–208. doi: 10.1016/j.enconman.2017.08.093
120. Sayer AH, Al-Hussaini H, Campbell AN. An analytical estimation of salt concentration in the upper and lower convective zones of a salinity gradient solar pond with either a pond with vertical walls or trapezoidal cross section. *Solar Energy* 2017; 158: 207–217. doi: 10.1016/j.solener.2017.09.025
121. Sleiman K, Van Vaerenbergh S, Hamieh T. Study of fluid-thermodynamic transfers in solar ponds: Theoretical approach. *Progress in Solar Energy and Engineering Systems* 2021; 5(1): 26–34. doi: 10.18280/psees.050105
122. Tian D, Qu ZG, Zhang JF, Ren QL. Enhancement of solar pond stability performance using an external magnetic field. *Energy Conversion and Management* 2021; 243: 114427. doi: 10.1016/j.enconman.2021.114427
123. El-Refaee MM, Mansour RR, Al-Juwayhel F. Transient performance of a two-dimensional salt gradient solar pond—A numerical study. *International Journal of Energy Research* 1996; 20(8): 713–731. doi: 10.1002/(SICI)1099-114X(199608)20:8<713::AID-ER185>3.3.CO;2-F
124. Mansour RB, Nguyen CT, Galanis N. Numerical study of transient heat and mass transfer and stability in a salt-gradient solar pond. *International Journal of Thermal Sciences* 2004; 43(8): 779–790. doi: 10.1016/j.ijthermalsci.2004.02.018
125. Mazidi M, Shojaeefard MH, Mazidi MSh, Shojaeefard H. Two-dimensional modeling of a salt-gradient solar pond with wall shading effect and thermo-physical properties dependent on temperature and concentration. *Journal of Thermal Science* 2011; 20(4): 362–370. doi: 10.1007/s11630-011-0482-5
126. Akbarzadeh A, Macdonald RWG. Introduction of a passive method for salt replenishment in the operation of solar ponds. *Solar Energy* 1982; 29(1): 71–76. doi: 10.1016/0038-092X(82)90282-1
127. Kanayama K, Inaba H, Baba H, Fukuda T. Experiment and analysis of practical-scale solar pond stabilized with salt gradient. *Solar Energy* 1991; 46(6): 353–359. doi: 10.1016/0038-092X(91)90050-7
128. Kho TH, Hawlader MNA, Ho JC, Wijesundera NE. Design and performance evaluation of a solar pond for industrial process heating. *International Journal of Solar Energy* 1991; 10(1–2): 83–101. doi:

10.1080/01425919108941453

129. Subhakar D, Murthy SS. Experiments on a magnesium chloride saturated solar pond. *Renewable Energy* 1991; 1(5–6): 655–660. doi: 10.1016/0960-1481(91)90010-M
130. Subhakar D, Murthy SS. Saturated solar ponds: 2. Parametric studies. *Solar Energy* 1993; 50(4): 307–319. doi: 10.1016/0038-092X(93)90026-K
131. Subhakar D, Murthy SS. Saturated solar ponds: 3. Experimental verification. *Solar Energy* 1994; 53(6): 469–472. doi: 10.1016/0038-092X(94)90125-L
132. Banat FA, El-Sayed SE, El-Temtamy SA. Carnalite salt gradient solar ponds: An experimental study. *Renewable Energy* 1994; 4(2): 265–269. doi: 10.1016/0960-1481(94)90014-0
133. Alagao FB. Simulation of the transient behavior of a closed-cycle salt-gradient solar pond. *Solar Energy* 1996; 56(3): 245–260. doi: 10.1016/0038-092X(95)00073-Z
134. Murthy GRK, Pandey KP. Scope of fertilizer solar ponds in Indian agriculture. *Energy* 2002; 27(2): 117–126. doi: 10.1016/S0360-5442(01)00059-7
135. Murthy GRR, Pandey KP. Comparative performance evaluation of fertilizer solar pond under simulated conditions. *Renewable Energy* 2003; 28(3): 455–466. doi: 10.1016/S0960-1481(02)00046-0
136. Agha KR, Abughres SM, Ramadan AM. Maintenance strategy for a salt gradient solar pond coupled with an evaporation pond. *Solar Energy* 2004; 77(1): 95–104. doi: 10.1016/j.solener.2004.02.004
137. Valderrama C, Gibert O, Arcal J, et al. Solar energy storage by salinity gradient solar pond: Pilot plant construction and gradient control. *Desalination* 2011; 279(1–3): 445–450. doi: 10.1016/j.desal.2011.06.035
138. Bozkurt I, Deniz S, Karakilcik M, Dincer I. Performance assessment of a magnesium chloride saturated solar pond. *Renewable Energy* 2015; 78: 35–41. doi: 10.1016/j.renene.2014.12.060
139. Wang J, Seyed-Yagoobi J. Effect of water turbidity on thermal performance of a salt-gradient solar pond. *Solar Energy* 1995; 54(5): 301–308. doi: 10.1016/0038-092X(94)00134-Y
140. Gasulla N, Yaakob Y, Leblanc J, et al. Brine clarity maintenance in salinity-gradient solar ponds. *Solar Energy* 2011; 85(11): 2894–2902. doi: 10.1016/j.solener.2011.08.028
141. Malik N, Date A, Leblanc J, et al. Monitoring and maintaining the water clarity of salinity gradient solar ponds. *Solar Energy* 2011; 85(11): 2987–2996. doi: 10.1016/j.solener.2011.08.040
142. Atiz A, Bozkurt I, Karakilcik M, Dincer I. Investigation of turbidity effect on exergetic performance of solar ponds. *Energy Conversion and Management* 2014; 87: 351–358. doi: 10.1016/j.enconman.2014.07.016
143. Li XY, Kanayama K, Baba H. Spectral calculation of the thermal performance of a solar pond and comparison of the results with experiments. *Renewable Energy* 2000; 20(4): 371–387. doi: 10.1016/S0960-1481(99)00119-6
144. Li XY, Kanayama K, Baba H, Maeda Y. Experimental study about erosion in salt gradient solar pond. *Renewable Energy* 2001; 23(2): 207–217. doi: 10.1016/S0960-1481(00)00174-9
145. Silva G, Almanza R. Use of clays as liners in solar ponds. *Solar Energy* 2009; 83(6): 905–919. doi: 10.1016/j.solener.2008.12.008
146. Jaefarzadeh MR, Akbarzadeh AA. Towards the design of low maintenance salinity gradient solar ponds. *Solar Energy* 2002; 73(5): 375–384. doi: 10.1016/S0038-092X(02)00114-7
147. Bezir NÇ, Dönmez O, Kayali R, Özek N. Numerical and experimental analysis of a salt gradient solar pond performance with or without reflective covered surface. *Applied Energy* 2008; 85(11): 1102–1112. doi: 10.1016/j.apenergy.2008.02.015
148. Ruskowitz JA, Suárez F, Tyler SW, Childress AE. Evaporation suppression and solar energy collection in a salt-gradient solar pond. *Solar Energy* 2014; 99: 36–46. doi: 10.1016/j.solener.2013.10.035
149. Hawlader MNA. Performance characteristics of solar ponds operating at different latitudes. *Applied Energy* 1984; 17(2): 97–115. doi: 10.1016/0306-2619(84)90014-X
150. Sabetta F, Pacetti M, Principi P. An internal heat extraction system for solar ponds. *Solar Energy* 1985; 34(4–5): 297–302. doi: 10.1016/0038-092X(85)90042-8
151. Jaefarzadeh MR. Heat extraction from a salinity-gradient solar pond using in pond heat exchanger. *Applied Thermal Engineering* 2006; 26(16): 1858–1865. doi: 10.1016/j.applthermaleng.2006.01.022
152. Dah MMO, Ouni M, Guizani A, Belghith A. The influence of the heat extraction mode on the performance and stability of a mini solar pond. *Applied Energy* 2010; 87(10): 3005–3010. doi: 10.1016/j.apenergy.2010.04.004
153. Leblanc J, Akbarzadeh A, Andrews J, et al. Heat extraction methods from salinity-gradient solar ponds and introduction of a novel system of heat extraction for improved efficiency. *Solar Energy* 2011; 85(12): 3103–3142. doi: 10.1016/j.solener.2010.06.005
154. Singh R, Tundee S, Akbarzadeh A. Electric power generation from solar pond using combined thermosyphon and thermoelectric modules. *Solar Energy* 2011; 85(2): 371–378. doi: 10.1016/j.solener.2010.11.012
155. Abdullah AA, Lindsay KA, AbdelGawad AF. Construction of sustainable heat extraction system and a new scheme of temperature measurement in an experimental solar pond for performance enhancement. *Solar Energy* 2016; 130: 10–24. doi: 10.1016/j.solener.2016.02.005
156. Abdullah AA, Fallatah HM, Lindsay KA, Oreijah MM. Measurements of the performance of the experimental salt-gradient solar pond at Makkah one year after commissioning. *Solar Energy* 2017; 150: 212–219. doi: 10.1016/j.solener.2017.04.040

157. Ziapour BM, Shokrnia M, Naseri M. Comparatively study between single-phase and two-phase modes of energy extraction in a salinity-gradient solar pond power plant. *Energy* 2016; 111: 126–136. doi: 10.1016/j.energy.2016.05.114
158. Ziapour BM, Saadat M, Palideh V, Afzal S. Power generation enhancement in a salinity-gradient solar pond power plant using thermoelectric generator. *Energy Conversion and Management* 2017; 136: 283–293. doi: 10.1016/j.enconman.2017.01.031
159. Khodabandeh E, Safaei MR, Akbari S, et al. Application of nanofluid to improve the thermal performance of horizontal spiral coil utilized in solar ponds: Geometric study. *Renewable Energy* 2018; 122: 1–16. doi: 10.1016/j.renene.2018.01.023
160. Verma S, Das R. Effect of ground heat extraction on stability and thermal performance of solar ponds considering imperfect heat transfer. *Solar Energy* 2020; 198: 596–604. doi: 10.1016/j.solener.2020.01.085
161. Ibrahim SMA, El-Reidy MK. Performance of a mobile covered shallow solar pond. *Renewable Energy* 1995; 6(2): 89–100. doi: 10.1016/0960-1481(94)00069-I
162. Arulanantham M, Avanti P, Kaushik ND. Solar pond with honeycomb surface insulation system. *Renewable Energy* 1997; 12(4): 435–443.
163. El-Sebaai AA. Thermal performance of a shallow solar-pond integrated with a baffle plate. *Applied Energy* 2005; 81(1): 33–53. doi: 10.1016/j.apenergy.2004.05.003
164. Tundee S, Srihajong N, Charmongkolpradit S. Electric power generation from solar pond using combination of thermosyphon and thermoelectric modules. *Energy Procedia* 2014; 48: 453–463. doi: 10.1016/j.egypro.2014.02.054
165. Bozkurt I, Karakilcik M. Exergy analysis of a solar pond integrated with solar collector. *Solar Energy* 2015; 112: 282–289. doi: 10.1016/j.solener.2014.12.009
166. Jubran BA, Badran AA, Hamdan MA. Solar energy augmentation of a carnalite solar pond using inverted trickle collectors. *Energy Conversion and Management* 1997; 38(3): 245–252. doi: 10.1016/S0196-8904(96)00046-5
167. Rivera W, Cardoso MJ, Romero RJ. Single-stage and advanced absorption heat transformers operating with lithium bromide mixtures used to increase solar pond's temperature. *Solar Energy Materials and Solar Cells* 2001; 70(3): 321–333. doi: 10.1016/S0927-0248(01)00074-5
168. Aboul-Enein S, El-Sebaai AA, Ramadan MRI, Khallaf AM. Parametric study of a shallow solar-pond under the batch mode of heat extraction. *Applied Energy* 2004; 78(2): 159–177. doi: 10.1016/j.apenergy.2003.06.001
169. Akbarzadeh A, Johnson P, Singh R. Examining potential benefits of combining a chimney with a salinity gradient solar pond for production of power in salt affected areas. *Solar Energy* 2009; 83(8): 1345–1359. doi: 10.1016/j.solener.2009.02.010
170. Bozkurt I, Karakilcik M. The daily performance of a solar pond integrated with solar collectors. *Solar Energy* 2012; 86(5): 1611–1620. doi: 10.1016/j.solener.2012.02.025
171. Al-Nimr MA, Al-Dafaie AMA. Using nanofluids in enhancing the performance of a novel two-layer solar pond. *Energy* 2014; 68: 318–326. doi: 10.1016/j.energy.2014.03.023
172. Wang H, Zou J, Cortina JL, Kizito J. Experimental and theoretical study on temperature distribution of adding coal cinder to bottom of salt gradient solar pond. *Solar Energy* 2014; 110: 756–767. doi: 10.1016/j.solener.2014.10.018
173. Wang H, Yu X, Shen F, Zhang L. A Laboratory experimental study on effect of porous medium on salt diffusion of salt gradient solar pond. *Solar Energy* 2015; 122: 630–639. doi: 10.1016/j.solener.2015.09.005
174. Assari MR, Tabrizi HB, Nejad AK, Parvar M. Experimental investigation of heat absorption of different solar pond shapes covered with glazing plastic. *Solar Energy* 2015; 122: 569–578. doi: 10.1016/j.solener.2015.09.013
175. Assari MR, Tabrizi HB, Parvar M, et al. Experiment and optimization of mixed medium effect on small-scale salt gradient solar pond. *Solar Energy* 2017; 151: 102–109. doi: 10.1016/j.solener.2017.04.042
176. Ganguly S, Jain R, Date A, Akbarzadeh A. On the addition of heat to solar pond from external sources. *Solar Energy* 2017; 144: 111–116. doi: 10.1016/j.solener.2017.01.012
177. Ganguly S, Date A, Akbarzadeh A. Investigation of thermal performance of a solar pond with external heat addition. *Journal of Solar Energy Engineering* 2018; 140(2): 024501. doi: 10.1115/1.4038788
178. Ganguly S, Date A, Akbarzadeh A. On increasing the thermal mass of a salinity gradient solar pond with external heat addition: A transient study. *Energy* 2019; 168: 43–56. doi: 10.1016/j.energy.2018.11.090
179. Ali MM, Ahmed OK, Abbas EF. Performance of solar pond integrated with photovoltaic/thermal collectors. *Energy Reports* 2020; 6: 3200–3211. doi: 10.1016/j.egypro.2020.11.037
180. Simic M, George J. Design of a system to monitor and control solar pond: A review. *Energy Procedia* 2017; 110: 322–327. doi: 10.1016/j.egypro.2017.03.147
181. Edesess M, Benson D, Henderson J, Jayadev TS. *Economic and Performance Comparisons of Salty and Saltless Solar Ponds*. National Renewable Energy Lab; 1979.
182. Szacsuvay T, Hofer-Noser P, Posnansky M. Technical and economic aspects of small-scale solar-pond-powered seawater desalination systems. *Desalination* 1999; 122(2–3): 185–193. doi: 10.1016/S0011-9164(99)00040-5
183. Agha KR. The thermal characteristics and economic analysis of a solar pond coupled low temperature multi stage desalination plant. *Solar Energy* 2009; 83(4): 501–510. doi: 10.1016/j.solener.2008.09.008
184. Parsa SM, Majidniya M, Alawee WH, et al. Thermodynamic, economic, and sensitivity analysis of salt gradient

- solar pond (SGSP) integrated with a low-temperature multi effect desalination (MED): Case study, Iran. *Sustainable Energy Technologies and Assessments* 2021; 47: 101478. doi: 10.1016/j.seta.2021.101478
185. Cao Y, Dhahad HA, Parikhani T, et al. Thermo-economic evaluation of a combined Kalina cycle and humidification-dehumidification (HDH) desalination system integrated with thermoelectric generator and solar pond. *International Journal of Heat and Mass Transfer* 2021; 168: 120844. doi: 10.1016/j.ijheatmasstransfer.2020.120844
 186. Garrido F, Vergara J. Design of solar pond for water preheating used in the copper cathodes washing at a mining operation at Sierra Gorda, Chile. *Journal of Renewable and Sustainable Energy* 2013; 5(4): 043103. doi: 10.1063/1.4812652
 187. El-Sebaai AA, Ramadan MRI, Aboul-Enein S, Khallaf AM. History of the solar ponds: A review study. *Renewable and Sustainable Energy Reviews* 2011; 15(6): 3319–3325. doi: 10.1016/j.rser.2011.04.008
 188. Rahaoui K, Ding LC, Tan LP, et al. Sustainable membrane distillation coupled with solar pond. *Energy Procedia* 2017; 110: 414–419. doi: 10.1016/j.egypro.2017.03.162
 189. Liu X, Cao G, Shen S, et al. The research on thermal and economic performance of solar desalination system with salinity-gradient solar pond. *Desalination and Water Treatment* 2013; 51(19–21): 3735–3742. doi: 10.1080/19443994.2013.795021
 190. Garman MA, Muntasserb MA. Sizing and thermal study of salinity gradient solar ponds connecting with the MED desalination unit. *Desalination* 2008; 222(1–3): 689–695. doi: 10.1016/j.desal.2007.02.074
 191. Saleh A, Qudeiri JA, Al-Nimr MA. Performance investigation of a salt gradient solar pond coupled with desalination facility near the Dead Sea. *Energy* 2011; 36(2): 922–931. doi: 10.1016/j.energy.2010.12.018
 192. Salata F, Coppi M. A first approach study on the desalination of sea water using heat transformers powered by solar ponds. *Applied Energy* 2014; 136: 611–618. doi: 10.1016/j.apenergy.2014.09.079
 193. Suárez F, Ruskowitz JA, Tyler SW, Childress AE. Renewable water: Direct contact membrane distillation coupled with solar ponds. *Applied Energy* 2015; 158: 532–539. doi: 10.1016/j.apenergy.2015.08.110
 194. Nakoa K, Rahaoui K, Date A, Akbarzadeh A. An experimental review on coupling of solar pond with membrane distillation. *Solar Energy* 2015; 119: 319–331. doi: 10.1016/j.solener.2015.06.010
 195. Nakoa K, Rahaoui K, Date A, Akbarzadeh A. Sustainable zero liquid discharge desalination (SZLDD). *Solar Energy* 2016; 135: 337–347. doi: 10.1016/j.solener.2016.05.047
 196. Shah SA, Short TH, Fynn RP. Modeling and testing a salt gradient solar pond in northeast Ohio. *Solar Energy* 1981; 27(5): 393–401. doi: 10.1016/0038-092X(81)90004-9
 197. Brown ST, Cambel AB. Net energy analysis of residential solar ponds. *Energy* 1982; 7(5): 457–463. doi: 10.1016/0360-5442(82)90055-X
 198. Tsilingiris PT. Large scale solar cooling design using salt gradient solar ponds. *Renewable Energy* 1991; 1(2): 309–314. doi: 10.1016/0960-1481(91)90091-3
 199. Tsilingiris PT. The absorption chiller in large scale solar pond cooling design with condenser heat rejection in the upper convecting zone. *Solar Energy* 1992; 49(1): 19–27. doi: 10.1016/0038-092X(92)90122-Q
 200. Badran AA, Jubran BA, Qasem EM, Hamdan MA. Numerical Modeling of a Salt Gradient Solar Pond Greenhouse Heating System. In: Proceedings of the First Jordanian Mechanical Engineering Conference; 25–28 June 1995; Amman, Jordan.
 201. Jabri JI, Rasheed AM. Investigation of solar pond capability in providing space heating for residential buildings in Baghdad/Iraq. In: Proceedings of the Second Jordanian International Conference for Mechanical Engineering (JIMEC 1997); 1–5 June 1997; Amman, Jordan.
 202. Badran AA, Hamdan MA. Comparative study for under-floor heating using solar collectors or solar ponds. *Applied Energy* 2004; 77(1): 107–117. doi: 10.1016/S0306-2619(03)00012-6
 203. Kanan S, Dewsbury J, Lane-Serff GF. Simulation of solar air-conditioning system with salinity gradient solar pond. *Energy Procedia* 2015; 79: 746–751. doi: 10.1016/j.egypro.2015.11.561
 204. Salata F, Tarsitano A, Golasi I, et al. Application of absorption systems powered by solar ponds in warm climates for the air conditioning in residential buildings. *Energies* 2016; 9(10): 821. doi: 10.3390/en9100821
 205. Saleh A. Modeling and performance analysis of a solar pond integrated with an absorption cooling system. *Energies* 2022; 15(22): 8327. doi: 10.3390/en15228327
 206. Nie Z, Bu L, Zheng M, Huang W. Experimental study of natural brine solar ponds in Tibet. *Solar Energy* 2011; 85(7): 1537–1542. doi: 10.1016/j.solener.2011.04.011
 207. Khalil RAH, Jubran BA, Faqir NM. Optimization of solar pond electrical power generation system. *Energy Conversion and Management* 1997; 38(8): 787–798. doi: 10.1016/S0196-8904(96)00086-6
 208. Singh B, Gomes J, Tan L, et al. Small scale power generation using low grade heat from solar pond. *Procedia Engineering* 2012; 49: 50–56. doi: 10.1016/j.proeng.2012.10.111
 209. Ding LC, Akbarzadeh A, Date A. Transient model to predict the performance of thermoelectric generators coupled with solar pond. *Energy* 2016; 103: 271–289. doi: 10.1016/j.energy.2016.02.124
 210. Ding LC, Akbarzadeh A, Singh B, Remeli MF. Feasibility of electrical power generation using thermoelectric modules via solar pond heat extraction. *Energy Conversion and Management* 2017; 135: 74–83. doi: 10.1016/j.enconman.2016.12.069

211. Ding LC, Akbarzadeh A, Date A. Electric power generation via plate type power generation unit from solar pond using thermoelectric cells. *Applied Energy* 2016; 183: 61–76. doi: 10.1016/j.apenergy.2016.08.161
212. Kumar A, Singh K, Verma S, Das R. Inverse prediction and optimization analysis of a solar pond powering a thermoelectric generator. *Solar Energy* 2018; 169: 658–672. doi: 10.1016/j.solener.2018.05.035
213. Kumar A, Kishore VVN. Construction and operational experience of a 6000 m² solar pond at Kutch, India. *Solar Energy* 1999; 65(4): 237–249. doi: 10.1016/S0038-092X(98)00134-0
214. Andrews J, Akbarzadeh A. *Solar Pond Project: Stage 1: Solar Ponds for Industrial Process Heating, End of Project Report for Project Funded Under Renewable Energy Commercialization Program*. Australian Greenhouse Office; 2002.
215. Zhang G, Wu Z, Cheng F, Min Z, Lee DJ. Thermophilic digestion of waste-activated sludge coupled with solar pond. *Renewable Energy* 2016; 98: 142–147. doi: 10.1016/j.renene.2016.03.052
216. Karakilcik M, Erden M, Cilogullari M, Dincer I. Investigation of hydrogen production performance of a reactor assisted by a solar pond via photoelectrochemical process. *International Journal of Hydrogen Energy* 2018; 43(23): 10549–10554. doi: 10.1016/j.ijhydene.2018.01.031